

File No. RRI/EMS/

Date : 28.05.2024

To,  
The Scientist - C,  
Ministry of Environment, Forests & Climate Change,  
Integrated Regional Office, Aranya Bhawan  
North Block, Sector - 19  
Naya Raipur, Atal Nagar, Chhattisgarh - 492002

**Subject :** Submission of six monthly reports on status of compliance of the conditions stipulated in Environment Clearance.

**Reference:** Environmental Clearance vide letter No. 834/SEIAA-CG/SIA/CG/IND/468  
Naya Raipur dated 19/01/2018.

Dear Sir,

This has reference to the Environment Clearance for our Rolling Mill of capacity 214000 TPA situated at Urla Industrial Area, Raipur, Chhattisgarh.

We are submitting the six monthly compliance status in respect of the above EC for the period from **Oct, 2023 to March, 2024**.

This is for your kind information and necessary record please.

Thanking you,

Yours faithfully,

For: RR Ispat (A Unit of Godawari Power & Ispat Ltd.)



Authorized Signatory

**R.R. Ispat**

(A Unit of Godawari Power and Ispat Limited)

An ISO 9001:2015, ISO 14001:2015 & OHSAS 45001:2018 certified company

**Works address :** 480, 480/1, 490/1, 491/2, Urla Industrial Complex, Raipur - 492003 Chhattisgarh, India, P : +91 7714082350  
**Corporate Office :** 1st Floor, Hira Arcade, Near New Bus Stand Pandri, Raipur - 492004 Chhattisgarh, India, P : +91 771 4082721  
**Registered Office :** 428/2, Phase-I, Industrial Area, Siltara, Raipur - 493111, Chhattisgarh, India  
[www.hiragroupindia.com](http://www.hiragroupindia.com)

**SIX MONTHLY COMPLIANCE REPORT**

**PART-I: DATA SHEET**

1	Project Type: River-valley/ Mining / Industry / Thermal / Nuclear/Other (Specify)	Industry
2	Name of the project	Rolling Mill Expansion from 1.00 lac TPA to 2.14 lac TPA R.R. Ispat (A Unit Of Godawari Power &Ispat Ltd.)
3	Clearance Letter(s)/OM No. and date	834/SEIAA-CG/SIA/CG/IND/468 Dated : 19/01/2018
4	Location	Urla Industrial Area, Urla
	a. District (s)	Raipur
	b. State (s)	Chhattisgarh
	c. Latitude/ Longitude	21° 18.95' to 21° 19.23' N/ 81° 36.89 to 81° 36.97 E
5	Address for correspondence	
	a. Address of the Concerned Project Chief Engineer (With Pin Code & Telephone/ Telex/ Fax Numbers)	<b>Mr. Dinesh Agrawal</b> Director RR. Ispat (A Unit of Godawari Power &Ispat Ltd.) Hira Arcade, Near Bus Stand, Pandri, Raipur – 492004 (C.G.) TEL. NO. 0771-4082706, 4082707
6	Salient Features	Enclosed in <b>Annexure- A</b>
	a. of the project	
	b. of the environmental management plans	
7	Break-up of the project area	
	a. Submergence Area: Forest & Non-Forest	NIL
	b. Other	Leasehold Land : 0.831 ha Freehold Land : 4.517 ha
	c. Total Plot Area	5.348 ha
	d. Built-up Area (Including Road)	2.894 ha
	e. Open Space available	0.69 ha
	f. Green belt area	1.764 ha
8	Break-up of the Project affected population with enumeration of those losing houses/dwelling units only, agricultural land only, Both dwelling units & agricultural land and landless laborers/artisans.	Not Applicable
	a. SC, ST/Adivasis	
	b. Others	
9	Financial Details	
	a. Project cost as originally planned and subsequent revised estimates and the year of price reference	Gross Investment in the enhanced capacity of 2.14 lac TPA is about Rs.40.49 Crores. The investment is Rs. 90.98 crores as on 31/03/2024.



	b. Allocations made for environmental management plans with item wise and year-wise breakup.	The capital cost for EMP will be Rs.1.00 crore and recurring cost for EMP per annum will be Rs. 25 Lacs towards pollution control, plantation, rain water harvesting, etc.														
		<table border="1"> <tr> <td>Air emission control system</td> <td>0.4 Cr.</td> </tr> <tr> <td>Waste Water treatment system</td> <td>0.2 Cr.</td> </tr> <tr> <td>Solid Waste Management</td> <td>0.2 Cr.</td> </tr> <tr> <td>Tree plantation</td> <td>0.05 Cr.</td> </tr> <tr> <td>Monitoring Cell</td> <td>0.05 Cr.</td> </tr> <tr> <td>Rain Water harvesting</td> <td>0.1 Cr.</td> </tr> <tr> <td><b>Total</b></td> <td><b>1.0 Cr.</b></td> </tr> </table>	Air emission control system	0.4 Cr.	Waste Water treatment system	0.2 Cr.	Solid Waste Management	0.2 Cr.	Tree plantation	0.05 Cr.	Monitoring Cell	0.05 Cr.	Rain Water harvesting	0.1 Cr.	<b>Total</b>	<b>1.0 Cr.</b>
	Air emission control system	0.4 Cr.														
	Waste Water treatment system	0.2 Cr.														
	Solid Waste Management	0.2 Cr.														
	Tree plantation	0.05 Cr.														
	Monitoring Cell	0.05 Cr.														
	Rain Water harvesting	0.1 Cr.														
<b>Total</b>	<b>1.0 Cr.</b>															
c. Benefit cost ratio/ Internal Rate of Return and the year of assessment	-															
d. Whether c, includes the cost of environmental management as shown in the above	Yes.															
e. Actual expenditure incurred on the project so far	Rs.90.98 Crores as on 31/03/2024															
f. Actual expenditure incurred on the environmental management plan so far	Rs. 3.61 Crore Approx. ( Upto March, 2024)															
10	Forest land requirement	Not Applicable														
	a. The status of approval for diversion of forest land for non-forestry use.															
	b. The status of clearing felling.															
	c. The status of compensatory afforestation, if any															
11	The status of clear felling in non-forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information required.	Not Applicable														
12	Status of construction (Actual &/or Planned)															
	a. Date of commencement (Actual &/or Planned)	The commissioning of expanded capacity of 2,14,000 TPA was 21/03/2018.														
	b. Date of Completion (Actual &/or Planned)															
13	Reasons for the delay if the project is yet to start.	Not Applicable.														



14	<p>Dates of site visits</p> <p>a) The dates on which the project was monitored by Regional Office on previous occasions, if any</p> <p>b) Date of site visit for this monitoring Report.</p>	<p>15/05/2015 – Visit of RO, MoEF, Bhopal  30/06/2017 – Visit of RO, MoEF, Nagpur  31/01/2019 – Visit of RO, MoEF, Nagpur</p> <p>-</p>																																																																												
15	<p>Details of correspondence with project authorities for obtaining action plans/ information on status of compliance to safeguards other than the routine letters for logistic support for site visits.</p>	<p>Given as below:</p> <table border="1"> <thead> <tr> <th>Date</th> <th>Letter from RO</th> <th>Date / RR ISPAT Letter date</th> <th>Reply from PA</th> </tr> </thead> <tbody> <tr> <td>28/10/14</td> <td>Status and compliance called</td> <td>03/12/14</td> <td>Point-wise status and compliance submitted</td> </tr> <tr> <td>13/08/15</td> <td>Certified compliance report issued</td> <td>12/12/15</td> <td>Compliance status submitted.</td> </tr> <tr> <td>-</td> <td>-</td> <td>14/06/16</td> <td>Compliance status submitted</td> </tr> <tr> <td>07/07/17</td> <td>Status Report on the stipulated compliance conditions issued</td> <td>26/12/16</td> <td>Compliance status submitted</td> </tr> <tr> <td>-</td> <td>-</td> <td>06/06/17</td> <td>Compliance status submitted</td> </tr> <tr> <td>-</td> <td>-</td> <td>06/06/17</td> <td>Compliance status submitted</td> </tr> <tr> <td>-</td> <td>-</td> <td>15/07/17</td> <td>Clarifications submitted on expansion programme.</td> </tr> <tr> <td>-</td> <td>-</td> <td>23/12/17</td> <td>Compliance status submitted</td> </tr> <tr> <td>-</td> <td>-</td> <td>16/06/18</td> <td>Compliance status submitted</td> </tr> <tr> <td>-</td> <td>-</td> <td>24/12/18</td> <td>Compliance status submitted</td> </tr> <tr> <td>-</td> <td>-</td> <td>31/05/19</td> <td>Compliance status submitted</td> </tr> <tr> <td>-</td> <td>-</td> <td>03/12/19</td> <td>Compliance status submitted</td> </tr> <tr> <td>-</td> <td>-</td> <td>18/06/20</td> <td>Compliance status submitted</td> </tr> <tr> <td>-</td> <td>-</td> <td>07/12/20</td> <td>Compliance status submitted</td> </tr> <tr> <td>-</td> <td>-</td> <td>16/06/21</td> <td>Compliance status submitted</td> </tr> <tr> <td>-</td> <td>-</td> <td>15/11/21</td> <td>Compliance status submitted</td> </tr> <tr> <td>-</td> <td>-</td> <td>31/05/22</td> <td>Compliance status submitted</td> </tr> <tr> <td>-</td> <td>-</td> <td>01/12/22</td> <td>Compliance status</td> </tr> </tbody> </table>	Date	Letter from RO	Date / RR ISPAT Letter date	Reply from PA	28/10/14	Status and compliance called	03/12/14	Point-wise status and compliance submitted	13/08/15	Certified compliance report issued	12/12/15	Compliance status submitted.	-	-	14/06/16	Compliance status submitted	07/07/17	Status Report on the stipulated compliance conditions issued	26/12/16	Compliance status submitted	-	-	06/06/17	Compliance status submitted	-	-	06/06/17	Compliance status submitted	-	-	15/07/17	Clarifications submitted on expansion programme.	-	-	23/12/17	Compliance status submitted	-	-	16/06/18	Compliance status submitted	-	-	24/12/18	Compliance status submitted	-	-	31/05/19	Compliance status submitted	-	-	03/12/19	Compliance status submitted	-	-	18/06/20	Compliance status submitted	-	-	07/12/20	Compliance status submitted	-	-	16/06/21	Compliance status submitted	-	-	15/11/21	Compliance status submitted	-	-	31/05/22	Compliance status submitted	-	-	01/12/22	Compliance status
Date	Letter from RO	Date / RR ISPAT Letter date	Reply from PA																																																																											
28/10/14	Status and compliance called	03/12/14	Point-wise status and compliance submitted																																																																											
13/08/15	Certified compliance report issued	12/12/15	Compliance status submitted.																																																																											
-	-	14/06/16	Compliance status submitted																																																																											
07/07/17	Status Report on the stipulated compliance conditions issued	26/12/16	Compliance status submitted																																																																											
-	-	06/06/17	Compliance status submitted																																																																											
-	-	06/06/17	Compliance status submitted																																																																											
-	-	15/07/17	Clarifications submitted on expansion programme.																																																																											
-	-	23/12/17	Compliance status submitted																																																																											
-	-	16/06/18	Compliance status submitted																																																																											
-	-	24/12/18	Compliance status submitted																																																																											
-	-	31/05/19	Compliance status submitted																																																																											
-	-	03/12/19	Compliance status submitted																																																																											
-	-	18/06/20	Compliance status submitted																																																																											
-	-	07/12/20	Compliance status submitted																																																																											
-	-	16/06/21	Compliance status submitted																																																																											
-	-	15/11/21	Compliance status submitted																																																																											
-	-	31/05/22	Compliance status submitted																																																																											
-	-	01/12/22	Compliance status																																																																											



				submitted
			01/06/23	Compliance status submitted
			23/11/23	Compliance status submitted



**PART-II**

**POINT WISE COMPLIANCE STATUS**

विषय रू. प्लॉट नं 490 /1, 237 /3, 237 /6, 476 /2, 484, 485, 486, 490/2, 474, 489/1, 496, 497, 239/2, 240, 241, 236/1, 236/2, 327/1, 327/2, 327/3, 328/1, 328/2, 330/1, 330/2, 324/1, 271/5, एवं 271/5 ग्राम - उरला तहसील व जिला - रायपुर में कुल भूमि 7.899 हेक्टेयर में रोलिंग मिल 1,00,000 टन / वर्ष से 2,14,000 टन / वर्ष हेतु पर्यावरणीय स्वीकृति जारी करने के संबंध में।

**REFERENCE:** Environmental Clearance vide letter No. 834/SEIAA-CG/SIA/CG/IND/468 Naya Raipur dated 19/01/2018.

S. NO.	EC CONDITIONS	COMPLIANCE STATUS
1	No additional land shall be acquired for expansion project.	Agreed, No additional land has been acquired for expansion project.
2	No furnace oil, LDO, HSD etc. liquid fuel shall be used in the re-heating furnace of rolling mill. Only gas generated from coal gasifier shall be used as fuel in the re-heating furnace of rolling mill.	Agreed, only gas generated from coal gasifier is being used as fuel in the re-heating furnace of rolling mill.
3	Project authority shall provide adequate facility for proper treatment of industrial effluent and domestic effluent. Closed cycle cooling system shall be provided. Minimum water for makeup purposes shall be ensured. Cooling water shall be cooled in cooling system and after cooling reused for cooling purpose. Domestic effluent shall be treated in well-designed septic tank and soak pits. In case of any failure of effluent treatment arrangement, it shall be immediately rectified or same alternate arrangement shall be provided. Treated effluent shall be utilized either in process or for plantation purposes within plant premises. Any liquid effluent what so ever generated from industrial activities and un-treated / treated domestic effluent shall not be discharged into the river or any surface water bodies under any circumstances. The treated domestic effluent	The entire water cycle in the process is in closed circuit, only as per the requirement make up water is being feeded. There is no generation of waste water in the process of rolling mill due to closed circuit. The domestic effluent is being treated in septic tank via soak pit. The company has also establish a sewage treatment plant (STP) of Capacity 60 KLD for treatment of domestic waste water and after treatment treated water is being for green belt development. The ZLD is being maintained except monsoon periods. Proper drainage arrangement has been provided for diversion of storm water. The treated effluent quality is within standard prescribed by Ministry of Environment, Forest and Climate Change, Government of India. The analysis report is being submitted regularly to RO, CECB, Raipur.



	shall be used for plantation purpose after proper disinfection. Project authority shall make arrangement of suitable drains / pipe networks to ensure adequate flow for full utilization of treated effluent inside the premises. The concept of zero discharge shall be maintained all the time except during monsoon. Arrangements shall be made that effluents and storm water do not get mixed. Project authority shall ensure the treated effluent quality within standard prescribed by Ministry of Environment, Forest and Climate Change, Government of India. Industrial wastewater shall conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and December, 1993 or as amended form time to time.	
4	Project authority shall provide adequate measuring arrangements for the measurement of water utilized in different categories and effluent generated before commissioning of the plant with expanded capacity.	Water meters have already been installed for the measurement of water being utilized and the same are operational.
5	Project authority shall ensure that particulate matter emission shall not exceed 40 mg / Nm <sup>3</sup> under any circumstances by up-gradation / modification of existing air pollution control systems.	<p>The high efficiency wet scrubber has already been installed to control the particulate matter emission within prescribed standard.</p> <p>The stack emission monitoring is being carried out by adopting isokinetic sampling regularly and report submitted to RO, CECB, Raipur.</p> <p>In addition to this, Online continuous monitoring system for continuous measurement of particulate matter has been installed, the real time monitoring data is being uploaded in CECB server.</p>
6	Project authority shall provide adequate air pollution control arrangements at all point and non point sources. Scrubber and air recuperator of adequate capacity and high efficiency shall be installed in rolling mill reheating furnace to ensure outlet dust (particulate matter) emission less than 40 mg /	<p>The present stack height of rolling mill attached to reheating furnace is 44 meters.</p> <p>Scrubber with ID fan of capacity 15000 m<sup>3</sup>/hr for flue gas treatment has been installed between the recuperator and chimney to achieve the outlet dust emission less than 40</p>



	<p>Nm<sup>3</sup> all the time. Low NO<sub>x</sub> burners shall be installed in furnace of rolling mill. Project authority shall install suitable &amp; effective air pollution control equipments at all transfer points, junction points etc. also. All the conveying system, transfer point, junction point etc. shall be covered. Adequate and effective arrangement shall be made for sprinkling of water at strategic locations to ensure dust does not get air borne. For controlling fugitive dust, regular sprinkling of water in vulnerable areas of the plant and internal roads shall be ensured. Proper ventilation shall also be provided in rolling mill plant. The emission of pollutants from any point source shall not exceed the following limit: -</p>	<p>mg/Nm<sup>3</sup>.</p> <p>The stack emission monitoring is being carried out by adopting isokinetic sampling regularly and report submitted to RO, CECB, Raipur.</p> <p>In addition to this, Online continuous monitoring system for continuous measurement of particulate matter has been installed, the real time monitoring data is being uploaded in CECB server.</p> <p>Water sprinkling facilities have been provided through water tankers at internal roads, Coal Yard etc. to control fugitive emission. Low NO<sub>x</sub> burners shall be installed in furnace of rolling mill. Space provision exists for further retrofitting of air pollution control systems in case of further stringency of particulate matter emission limit.</p>
<p>Particulate Matter</p>	<p>40 mg/Nm<sup>3</sup> (Forty Milligram per Normal Meter)</p>	
	<p>The Chhattisgarh Environment Conservation Board may specify more stringent standards for the relevant parameters keeping in view the nature of the industry and its size and location. At no time the emission level shall go beyond the prescribed standards. Interlocking facilities shall be provided so that process can be automatically stopped in case emission level exceeds the limit. Project authority shall provide proper space provision for further retrofitting of air pollution control systems in case of further stringency of particulate matter emission limit. Height of the stack attached to reheating furnace of rolling mill shall not be less than 44 meters.</p>	
<p>7</p>	<p>Secondary fugitive emissions shall be controlled and shall be kept within the prescribed limits and regularly monitored. Guidelines / Code of Practice issued by the CPCB in this regard shall be followed. Project authority shall maintain fugitive dust</p>	<p>Secondary fugitive emission has been controlled with the following measures :</p> <ol style="list-style-type: none"> <li>All the internal roads and raw material handling yards have been concreted.</li> <li>Collection of road spillage materials at</li> </ol>





	<p>emissions to the minimum level in the areas of road transportation routs of raw material, product to ensure National Ambient Air Quality Standards prescribed including black topping / asphaltting / concreting and maintenance with requisite water sprinkling arrangements.</p>	<p>regular intervals.  c. Regular water sprinkling at dust generating points.  d. Proper housekeeping is being maintained.</p> <p>The fugitive emission monitoring is being carried out regularly and the results of the same are within the permissible limits.</p> <p>Ambient Air Quality Monitoring Stations (04 Nos) have been established in the plant for the measurement of PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub> &amp; NO<sub>x</sub>. The Ambient Air Quality Monitoring is being carried out regularly and report submitted to RO, CECB, Raipur.</p>
8	<p>All air pollution control systems shall be kept in good running conditions all the time and failure (if any), shall be immediately rectified without delay otherwise similar alternate arrangement shall be made. In the event of any failure of any pollution control system adopted by the Project authority, the respective production unit shall not be restarted until the control measures are rectified to achieve the desired efficiency.</p>	<p>All air pollution control systems are kept healthy and operational in good condition all the time.</p>
9	<p>Online Continuous Stack Emission Monitoring System shall be installed for measurement of particulate matter. Project authority shall ensure regular transfer of data of Online Continuous Stack Emission Monitoring System to CECB. Regular monitoring of ground level concentration of SO<sub>2</sub>, NO<sub>x</sub>, PM<sub>10</sub> and PM<sub>2.5</sub> at at-least four stations shall be carried out in the impact zone and records maintained. The location of the monitoring stations and frequency of monitoring shall be decided in consultation with Chhattisgarh Environment Conservation Board Raipur. The data so collected shall be properly analyzed and periodic reports shall be submitted to Chhattisgarh Environment Conservation Board, Raipur, Regional Office, Chhattisgarh Environment Conservation</p>	<p>Online continuous monitoring system for continuous measurement of particulate matter has been installed, the real time monitoring data is being uploaded in CECB server.</p> <p>Ambient Air Quality Monitoring Stations (04 Nos) have been established in the plant for the measurement of PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub> &amp; NO<sub>x</sub>. The Ambient Air Quality Monitoring is being carried out regularly and report submitted to RO, CECB, Raipur.</p>



	Board, Raipur, SEIAA, Chhattisgarh and Regional Office, Ministry of Environment, Forest and Climate Change, Government of India, Nagpur.	
10	Project authority shall install separate electric metering arrangements with time totalizer and interlocking arrangement for the running of pollution control devices. These arrangements shall be made in such a fashion that any non-functioning of pollution control device / devices shall immediately stop the electric supply to the fuel / raw materials supply system and shall remain tripped till the pollution control device / devices are made functional again / rectified to achieve the desired efficiency.	<p>We have already installed separate electric meter with time totalizer to monitor energy consumption of the pollution control equipment, record of the same is being maintained properly.</p> <p>The procedure is observed regularly that electric supply is being stopped in the case of non-functioning of pollution control equipments.</p>
11	Project authority shall utilize the fly ash bricks / blocks etc. in all construction activities.	Fly ash bricks/blocks, fly ash based products are being used in construction/ repairing activities.
12	Project authority shall take effective steps for safe disposal of solid wastes and sludge. End cutting from rolling mill shall be used as raw material in induction furnace units. Mill scales shall be sold to sinter plant/ Ferro alloys / Casting units. Oily sludge shall be sold to authorized recyclers / re-processors for proper disposal through incineration. Project authority shall obtain authorization from Board for management and handling of hazardous materials as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.	<p>End cutting of rolling mill is being reprocessed in in-house units of the plant. Presently 100% heating of raw material has been done by producer gas, hence no oily sludge generation.</p> <p>Authorization under Hazardous and Other Wastes (Management &amp; Transboundary Movement) Rules, 2016 obtained vide 1 Amended Authorization no. 606 /HO/HSMD/CECB/NAVA RAIPUR ATAL NAGAR, RAIPUR Dated 28/02/2024 from Chhattisgarh Environment Conservation Board, Raipur (C.G.).</p>
13	Coal ash from coal gasifier shall be used in fly ash brick plant / land filling and coal tar shall be sold to registered vendors. Mill scales shall be collected through sedimentation pit and utilized as a raw material in steel / ferro alloys plants.	The coal ash generated from the coal gasifier is being utilized in the fly ash brick plant/ land filling and coal Tar is being sold to registered vendors. Mill scale is being reprocessed in in-house steel/ferro alloy plants.
14	All the internal roads shall be made pucca. Regular cleaning of roads shall be ensured. Project authority shall adopt good house keeping practices within premises.	All the internal roads are already concreted and good house keeping is in practices..
15	Project authority shall take proper action to	Control measures such as maintenance of all



	<p>control the noise pollution. Project authority shall install appropriate noise barriers / control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation to control the noise. Earplugs / ear muffs etc. shall be provided to the employee working in the high noise areas. Leq of / noise levels emanating from machines shall be limited to 75 dB (A). The noise level shall not exceed the limits 75 dB (A) during the daytime and 70 dB (A) during the night time within the factory premises. Project authority shall take adequate measures for control of noise level below 85 dB (A) in the work environment. Workers engaged in noisy areas shall be periodically examined to maintain audiometric record and for treatment for any hearing loss including rotating them to non-noisy / less noisy areas.</p>	<p>machines are being done regularly.</p> <p>The noise level is well within prescribed standard in the plant premises as well as work environment.</p> <p>However, as a precaution, the workers engaged at noisy areas are being providing with ear plugs/muffs.</p> <p>Workmen (20 Nos) engaged in noisy areas has been examined in year 2024 and audiometric test report is enclosed as <b>Annexure – I</b>.</p>
16	<p>First aid and sanitation arrangements shall be made for the drivers and other contract workers.</p>	<p>First aid and sanitation arrangement is available for drivers and other contract workers.</p>
17	<p>Up-gradation / modification of effluent treatment system and air pollution control equipments shall be taken up simultaneously with other civil / mechanical works of expansion (if any). The progress of the activities related to the project shall be submitted periodically to Chhattisgarh Environment Conservation Board, Raipur, Regional Office, Chhattisgarh Environment Conservation Board, Raipur, SEIAA, Chhattisgarh and Regional Office, Ministry of Environment, Forest and Climate Change, Government of India, Nagpur.</p>	<p>The capacity of existing effluent treatment system and air pollution control equipments is sufficient to achieve the prescribed norms (waste water &amp; air).</p>
18	<p>Adequate safety measures shall be provided in the plant area to check / minimize spontaneous fires. Copy of the these measures with full details along with location plant layout shall be submitted to Chhattisgarh Environment Conservation Board, Raipur, Regional Office, Chhattisgarh Environment Conservation Board, Raipur, SEIAA,</p>	<p>Spontaneous fires prone areas have already been equipped with different category of fire extinguishers to check/ minimize spontaneous fires.</p>



	Chhattisgarh and Regional Office, Ministry of Environment, Forest and Climate Change, Government of India, Nagpur.	.
19	Disaster Management plan shall be prepared to meet any eventuality in case of an accident taking place. Mock drills shall be conducted regularly and based on the same, modifications required, if any shall be incorporated in the DMP.	Disaster Management plan has been prepared and to be submitted to Health & Safety Department.
20	As far as possible maximum area of open spaces shall be utilized for plantation purposes. Project authority shall abide by the decisions taken by Ministry of Environment, Forest and Climate Change, Government of India / Central Government / Central Pollution Control Board from time to time in this regard. Adequate wide green belt of Local broad leaf species shall be developed in the 1.628 ha land. Central Pollution Control Board guidelines shall be followed in planning and developing green belt and selection of species etc.	The extensive green belt with approx. 2898 Plants (Rolling mill area) of board leaf local species has been developed in the plant premise's including all vacant areas, peripheral areas and road sides. Huge outside plantation with approx. 23493 trees has been done on both side of main road in Urla industrial area.  Oxy-Zone is being developed with mass plantation in Siltara area also.
21	Plantation shall be completed within first year. In case project proponent fails to carry out plantation, this environment clearance may be cancelled.	The extensive green belt with approx. 2898 Plants (Rolling mill area) of board leaf local species has been developed in the plant premise's including all vacant areas, peripheral areas and road sides. Huge outside plantation with approx. 23493 trees has been done on both side of main road in Urla industrial area.  Oxy-Zone is being developed with mass plantation in Siltara area also.
22	Project authority shall provide garland drains with appropriate check dams all along the raw materials storage areas etc. to avoid any possibility of erosion (wearing away) during rain. Sedimentation pits shall be constructed at the corners of the garland drains. Project authority shall provide adequate collection and treatment arrangement for proper management of storm water. The surface runoff shall be de-silted through a series of check	Well drainage system already developed in raw material storage area and other areas of the plant.



	dams and drains.	
23	Project authority shall develop rainwater-harvesting structures to harvest the rainwater for utilization in the lean season as well as to recharge the ground water table. A detailed scheme for rainwater harvesting to recharge the ground water aquifer shall be prepared in consultation with Central Ground Water Authority / State Ground Water Board. A copy of the same shall be submitted within three months to the Chhattisgarh Environment Conservation Board, Raipur, Regional Office, Chhattisgarh Environment Conservation Board, Raipur, SEIAA, Chhattisgarh and Regional Office, Ministry of Environment, Forest and Climate Change, Government of India, Nagpur.	12 nos. of recharge wells and 4 nos. of ground water recharge measures have already been constructed within plant premises to recharge ground water.  We have also installed ground water level recorder for measurement of ground water level. <b>(Photographs enclosed as Annexure - II).</b>
24	Occupational Health Surveillance of the workers should be done on a regular basis and records maintained as per the factories Act.	Being implemented as per Factories Act.
25	The project proponent shall also comply with all the environmental protection measures and safe guards recommended in the Environment Impact Assessment Report / Environment Management Plan.	All environmental protection measures are being implemented as per the recommendations of EIA/EMP report.
26	Project authority shall establish an environmental management cell to carryout function relating to environmental management under the supervision of senior executive who shall directly report to the head of organization. A full-fledged laboratory with qualified technical / scientific staffs to monitor the influent, effluent, ground water, surface water, soil, stack emission and ambient air quality etc. shall be provided.	The Environmental Cell is functioning under well qualified environmental team of our parent company Godawari Power & Ispat Ltd. to monitor the environmental measures.
27	Adequate funds shall be allocated for undertaking CSR activities (apart from committed plantation) as per Government norms. Project authority must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and	Being complied, since the company was amalgamated with its parent company Godawari Power & Ispat Ltd., all the CSR activities done by Godawari Power & Ispat Limited are combined. Details of CSR expenditure is attached as <b>Annexure-III.</b>



	health care etc. Details of activities shall also be submitted to Chhattisgarh Environment Conservation Board, Naya Raipur, Regional Office, Chhattisgarh Environment Conservation Board, Bilaspur SEIAA, Chhattisgarh and Regional Office, Ministry of Environment, Forest and Climate Change, Government of India, Nagpur. The funds earmarked for the environment protection measures shall not be diverted for other purpose and year-wise expenditure should be reported to the Chhattisgarh Environment Conservation Board, Naya Raipur, Regional Office, Chhattisgarh Environment Conservation Board, Bilaspur, SEIAA, Chhattisgarh and Regional Office, Ministry of Environment, Forest and Climate Change, Government of India, Nagpur.	
28	The issuance of this environmental clearance does not convey any property rights in either real or personal property, or any exclusive privileges, nor does not authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local laws or regulations.	Noted and agreed.
29	SEIAA, Chhattisgarh reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction. SEIAA, Chhattisgarh reserves the right to amend / cancel any of the conditions and add new conditions and make further stringent the emission / effluent limit as and when deemed necessary in the interest of environmental protection, change in the project profile or non-satisfactory implementation of the stipulated conditions etc.	Noted and agreed.
30	Local persons shall be given employment during construction (if any) and operation of the plant.	Agreed and being implemented.
31	The Project authority shall advertise in at least two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality	Complied.



	concerned within seven days from the date of this clearance letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Chhattisgarh Environment Conservation Board and may also seen at Website of the Ministry of Environment, Forest and Climate Change at <a href="http://www.envfor.nic.in">www.envfor.nic.in</a> and website of SEIAA, Chhattisgarh at <a href="http://www.seiaacg.org">www.seiaacg.org</a> .	
32	Half yearly report on the status of implementation of the stipulated conditions and environment safeguards shall be submitted to the Chhattisgarh Environment Conservation Board, Raipur, Regional Office, Chhattisgarh Environment Conservation Board, Raipur, SEIAA, Chhattisgarh and Regional Office, Ministry of Environment, Forest and Climate Change, Government of India, Nagpur.	Six monthly EC compliance status report is being submitted regularly to RO, CECB, Raipur, SEIAA, RO-Ministry of Environment, Forest and Climate change, Government of India, Nagpur.
33	Regional Office of the Ministry of Environment, Forest and Climate Change at Nagpur shall monitor the implementation of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report and Environment Management Plan along with the additional information submitted from time to time shall be forwarded to the Regional Office for their use during monitoring.	Noted and agreed.
34	The project authorities shall inform the Regional Office as well as the SEIAA, Chhattisgarh regarding the date of start of commissioning of plant with expanded capacity.	Complied.
35	Full cooperation shall be extended to the Scientists / Officers from the SEIAA, Chhattisgarh, Ministry of Environment, Forest and Climate Change, Government of India / Regional Office, Ministry of Environment, Forest and Climate Change, Government of India, Bhopal / the CPCB / the Chhattisgarh Environment Conservation	Noted and agreed.



	Board, who would be monitoring the compliance of environment status.	
36	Concealing factual data or submission of false / fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.	Noted
37	In case of any deviation or alteration in the expansion project from those submitted to this SEIAA, Chhattisgarh for clearance, a fresh reference should be made to the SEIAA, Chhattisgarh to assess the adequacy of the condition(s) imposed and to add additional environment protection measures required, if any. No further expansion or modifications in the plant should be carried out without prior approval of the Ministry of Environment, Forest and Climate Change, Government of India / SEIAA, Chhattisgarh.	Noted and agreed.
38	The project authorities must strictly adhere to the stipulations made by the Chhattisgarh Environment Conservation Board (CECB) and the State Government.	Noted and agreed.
39	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) act, 1986 and rules there under, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and its amendments, the Public Liability Insurance Act, 1991 and its amendments.	Noted and agreed.
40	The above conditions would be enforced inter-alia, under the provisions of the water (Prevention & Control of Pollution) Act. 1974, the Air (Prevention & Control of Pollution) Act. 1981 the environment (Protection) Act. 1986 and the public liability insurance Act, 1991 along with their amendments and Rules. The proponent shall ensure to provide for the costs incurred for	Noted and agreed.





	taking up remedial measures in case of soil contamination, contamination of groundwater and surface water, and occupational and other diseases due to the mining operations.	
41	Chhattisgarh Environment Conservation Board shall display a copy of the clearance letter at the Regional Office, District Trade and Industries Centre and Collector's Office / Tehsildar's Office for 30 days.	Noted.
42	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act, 2010.	Noted and agreed.



**SUPPORTING DOCUMENTS  
INCLUDING AS ANNEXURES**

Annexure - I

Audiometric Report List						
S.No.	Emp. Id	Patient name	Designation	Right Ear	Left Ear	Status
1	1105	Pradeep Verma	ENGINEER	21.67	21.67	Normal
2	1567	Adam Das Sonwani	FITTER	23.33	23.33	Normal
3	1536	Prem Babu Prajapati	FITTER	23.33	23.33	Normal
4	1336	Mukesh Chandrakar	FITTER	23.33	23.33	Normal
5	1569	Ram Ji Prasad	ASSISTANT MANAGER	23.33	23.33	Normal
6	1451	Rajendra Prasad	SUPERVISOR	23.33	23.33	Normal
7	1588	Rakesh Kumar Sahu	SHIFT INCHARGE	21.67	23.33	Normal
8	1300	Vinod Kumar Paatre	ASSISTANT MANAGER	23.33	23.33	Normal
9	101007	Yogesh Thakur	MANAGER	23.33	23.33	Normal
10	01254	Arun Chaudhri	FITTER	18.33	18.33	Normal
11	1381	Mithun Kumar Chandra	MECHANICAL FITTER	18.33	18.33	Normal
12	1301	Ravishankar Sahu	WELDER	18.33	18.33	Normal
13	1450	Surendra Singh	SHIFT INCHARGE	23.33	23.33	Normal
14	1445	Vinay Kumar Pandey	FITTER	23.33	23.33	Normal
15	1343	Bhojram Sahu	WELDER	23.33	23.33	Normal
16	1521	Anil Mehta	FITTER	23.33	23.33	Normal
17	1524	Hemant Dahre	GET	23.33	23.33	Normal
18	1561	Ankur dixit	SR. ENGINEER	23.33	23.33	Normal
19	1472	Ankur sharma	GET	23.33	23.33	Normal
20	1558	Swaran Singh	SR. ENGINEER	23.33	23.33	Normal



# TULJA DIAGNOSTICS

DHANELI, RAIPUR, CG



Patient Name : PRADEEP VERMA

Age : 41

Gender : Male

Referred By :


Reference Id : 1105

Session Date : 2024-04-05


Session Examiner :

Test : PTA

## RIGHT



## LEFT



PTA	RIGHT	LEFT
AC	21.67	21.67
PTA calculated on ( 500,1000,1500 )		

FRFQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC R	20	25	20	25	20	25	20	25	20	25	20
AC R(M)											
BC R											
BC R(M)											
FF R											
FF R(M)											


FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	20	25	20	25	20	25	20	25	20	25	20
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											



डॉ. एस.बी. श्यामनवार  
एम.बी.बी.एस., डी.एल.ओ.  
कान नाक एवं मला विशेषज्ञ  
रायपुर (छ.ग.)  
Reg. No. CG-2042

# A DIAGNOSTICS

DHANELI, RAIPUR ,CG



Patient Name : ADAM DAS SONWANI

Age : 32

Gender : Male

Referred By :


Reference Id : 1567

Session Date : 2024-04-05


Session Examiner :

Test : PTA

RIGHT



LEFT



PTA	RIGHT	LEFT
AC	23.33	23.33
PTA calculated on ( 500,1000,1500 )		

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC R	25	20	25	20	25	20	25	20	25	20	25
AC R(M)											
BC R											
BC R(M)											
FF R											
FF R(M)											

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	25	20	25	20	25	20	25	20	25	20	25
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											



डॉ. एस.के. धामनवार  
एम.बी.बी.एस., डॉ.एल.जो.  
कान नाक एवं गला विशेषज्ञ  
रायपुर (छ.ग.)  
Reg. No. CG-2042



Patient Name : PREM BABU PRAJAPATI

Age : 33

Gender : Male

Referred By :


Reference Id : 1536

Session Date : 2024-04-05


Session Examiner :

Test : PTA

RIGHT



LEFT



PTA	RIGHT	LEFT
AC	23.33	23.33
PTA calculated on ( 500,1000,1500 )		

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC R	25	20	25	20	25	20	25	20	25	20	25
AC R(M)											
BC R											
BC R(M)											
FF R											
FF R(M)											

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	25	20	25	20	25	20	25	20	25	20	25
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											



डॉ. एस.के. धामगवार  
एम.बी.बी.एस., पी.एल.ओ.  
कान नाक एवं गला विशेषज्ञ  
रायपुर (छ.ग.)  
Reg. No. CG-2042



Patient Name : MUKESH CHANDRAKAR

Age : 31

Gender : Male

Referred By :


Reference Id : 1336

Session Date : 2024-04-05


Session Examiner :

Test : PTA

**RIGHT**



**LEFT**



PTA	RIGHT	LEFT
AC	23.33	23.33
PTA calculated on ( 500,1000,1500 )		

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC R	25	20	25	20	25	20	25	20	25	20	25
AC R(M)											
BC R											
BC R(M)											
FF R											
FF R(M)											

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	25	20	25	20	25	20	25	20	25	20	25
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											




डॉ. एस.के. घागमवार  
एम.बी.बी.एस., डी.एल.ओ.  
कान नाक एवं गला विशेषज्ञ  
रायपुर (छ.ग.)  
Reg. No. CG-2042




Patient Name : RAM JI PRASAD  
Age : 38  
Gender : Male  
Referred By :

Reference Id : 1569  
Session Date : 2024-04-05  
Session Examiner :  
Test : PTA

**RIGHT**



**LEFT**



PTA	RIGHT	LEFT
AC	23.33	23.33
PTA calculated on ( 500,1000,1500 )		

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC R	25	20	25	20	25	20	25	20	25	20	25
AC R(M)											
BC R											
BC R(M)											
FF R											
FF R(M)											

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	25	20	25	20	25	20	25	20	25	20	25
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											



डॉ. एस. के. गोमटवार  
एन.बी.पी.एस., डी.एल.ओ.  
कान नाक एवं गला विशेषज्ञ  
रायपुर (छ.ग.)  
Reg. No. CG-2042





Patient Name : RAJENDRA PRASAD  
TIWARI

Age : 54

Gender : Male

Referred By :


Reference Id : 1451

Session Date : 2024-04-05


Session Examiner :

Test : PTA

RIGHT



LEFT




PTA	RIGHT	LEFT
AC	23.33	23.33
PTA calculated on ( 500,1000,1500 )		

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC R	25	20	25	20	25	20	25	20	25	20	25
AC R(M)											
BC R											
BC R(M)											
FF R											
FF R(M)											

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	25	20	25	20	25	20	25	20	25	20	25
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											




डॉ. एस.के. धागमवार  
एम.बी.बी.एस., डी.एल.ओ.  
कान नाक एवं गला विशेषज्ञ  
रायपुर (छ.ग.)  
Reg. No. CG-2042




Patient Name : RAKESH KUMAR SAHU  
Age : 37  
Gender : Male  
Referred By :

Reference Id : 1588  
Session Date : 2024-04-05  
Session Examiner :  
Test : PTA

**RIGHT**



**LEFT**



PTA	RIGHT	LEFT
AC	21.67	23.33
PTA calculated on ( 500,1000,1500 )		

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC R	20	25	20	25	20	25	20	25	20	25	20
AC R(M)											
BC R											
BC R(M)											
FF R											
FF R(M)											

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	25	20	25	20	25	20	25	20	25	25	20
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											



डॉ. एस.के. धागमवार  
एम.बी.बी.एस., डी.एल.ओ.  
कान नाक एवं गला विशेषज्ञ  
रायपुर (छ.ग.)  
Reg. No. CG-2042

**TULJA DIAGNOSTICS**

DHANELI, RAIPUR, CG



Patient Name : VINOD KUMAR PAATRE

Age : 38

Gender : Male

Referred By :


Reference Id : 1300

Session Date : 2024-04-05


Session Examiner :

Test : PTA

RIGHT



LEFT



PTA	RIGHT	LEFT
AC	23.33	23.33
PTA calculated on ( 500,1000,1500 )		

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC R	25	20	25	20	25	20	25	20	25	20	25
AC R(M)											
BC R											
BC R(M)											
FF R											
FF R(M)											

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	25	20	25	20	25	20	25	20	25	20	25
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											



डॉ. एस.के. धागमवार  
 एम.बी.बी.एस., डी.एल.ओ.  
 कान नाक एवं गला विशेषज्ञ  
 रायपुर (छ.ग.)  
 Reg. No. CG-2042

# TULJA DIAGNOSTICS

DHANELI, RAIPUR, CG



Patient Name : YOGESH THAKUR

Age : 50

Gender : Male

Referred By :


Reference Id : 101007

Session Date : 2024-04-05


Session Examiner :

Test : PTA

RIGHT



LEFT



PTA	RIGHT	LEFT
AC	23.33	23.33
PTA calculated on ( 500,1000,1500 )		

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC R	25	20	25	20	25	20	25	20	25	20	25
AC R(M)											
BC R											
BC R(M)											
FF R											
FF R(M)											

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	25	20	25	20	25	20	25	20	25	20	25
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											



डॉ. एस.की. धाममवार  
एम.बी.बी.एस., डी.एल.ओ.  
कान नाक एवं गला विशेषज्ञ  
रायपुर (छ.ग.)  
Reg. No. CG-2042

# TULJA DIAGNOSTICS

DHANELI, RAIPUR ,CG



Patient Name : ARUN CHAUDHARI

Age : 22

Gender : Male

Referred By :


Reference Id : 01254

Session Date : 2024-04-05


Session Examiner :

Test : PTA

## RIGHT



## LEFT



PTA	RIGHT	LEFT
AC	18.33	18.33
PTA calculated on ( 500,1000,1500 )		

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC R	20	15	20	15	20	15	20	15	20	15	20
AC R(M)											
BC R											
BC R(M)											
FF R											
FF R(M)											

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	20	15	20	15	20	15	20	15	20	15	20
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											



डॉ. एस.के. घागमवार  
एम.बी.बी.एस., डी.एल.ओ.  
कान नाक एवं गला विशेषज्ञ  
रायपुर (छ.ग.)  
Reg. No. CG-2042



Patient Name : MITHUN KUMAR CHANDRA

Reference Id : 1381

Age : 30

Session Date : 2024-04-05


Gender : Male

Session Examiner :


Referred By :

Test : PTA

RIGHT



LEFT



PTA	RIGHT	LEFT
AC	10.00	18.33
PTA calculated on ( 500,1000,1500 )		

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC R	20	15	20	15	20	15	20	15	20	15	20
AC R(M)											
BC R											
BC R(M)											
FF R											
FF R(M)											

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	20	15	20	15	20	15	20	15	20	15	20
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											



डॉ. एस.के. धामनवार  
 एम.बी.बी.एस., डी एल.ओ.  
 कान नाक एवं गला विशेषज्ञ  
 रायपुर (छ.ग.)  
 Reg. No. CG-2042

# TULJA DIAGNOSTICS

DHANELI, RAIPUR, CG



Patient Name : RAVISHANKAR SAHU

Age : 32

Gender : Male

Referred By :


Reference Id : 1301

Session Date : 2024-04-05


Session Examiner :

Test : PTA

## RIGHT



## LEFT



PTA	RIGHT	LEFT
AC	18.33	18.33

PTA calculated on ( 500,1000,1500 )

FREQ (Hz)	125	250	500	750	1k	1.5K	2K	3K	4K	6K	8K
AC R	20	15	20	15	20	15	20	15	20	15	20
AC R(M)											
BC R											
BC R(M)											
FF R											
FF R(M)											

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	20	15	20	15	20	15	20	15	20	15	20
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											



डॉ. एस.के. घागमवार  
 एम.बी.बी.एस., डी.एल.ओ.  
 मानव श्रवण एवं श्रवण विशेषज्ञ  
 रायपुर (छ.ग.)  
 Reg. No. CG-2042

**TULJA DIAGNOSTICS**

DHANELI, RAIPUR ,CG



Patient Name : SURENDRA SINGH

Age : 46

Gender : Male

Referred By :


Reference Id : 1450

Session Date : 2024-04-05


Session Examiner :

Test : PTA

**RIGHT**



**LEFT**



PTA	RIGHT	LEFT
AC	23.33	23.33

PTA calculated on ( 500,1000,1500 )

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC R	25	20	25	20	25	20	25	20	25	20	25
AC R(M)											
BC R											
BC R(M)											
FF R											
FF R(M)											

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	25	20	25	20	25	20	25	20	25	20	25
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											



डॉ. एस.के. धागमवार  
एम.बी.बी.एस., डी.एल.ओ.  
कान नाक एवं गला विशेषज्ञ  
रायपुर (छ.ग.)  
Reg. No. CG-2042



**TULJA DIAGNOSTICS**

DHANALI, RAIPUR ,CG



Patient Name : VINAY KUMAR PANDEY

Age : 35

Gender : Male

Referred By :


Reference Id : 1445

Session Date : 2024-04-05


Session Examiner :

Test : PTA

**RIGHT**



**LEFT**



PTA	RIGHT	LEFT
AC	23.33	23.33

PTA calculated on ( 500,1000,1500 )

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC R	25	20	25	20	25	20	25	20	25	20	25
AC R(M)											
BC R											
BC R(M)											
FF R											
FF R(M)											

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	25	20	25	20	25	20	25	20	25	20	25
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											



डॉ. एस.के. धामवार  
एम.बी.बी.एस., डी.एल.ओ.  
फोन नं. १६ गैला गिरीधर  
रायपुर (छ.ग.)  
Reg. No. CG-2042

# TULJA DIAGNOSTICS

DHANELI, RAIPUR, CG



Patient Name : BHOJRAM SAHU

Age : 38

Gender : Male

Referred By :


Reference Id : 1343

Session Date : 2024-04-05


Session Examiner :

Test : PTA

## RIGHT



## LEFT



PTA	RIGHT	LEFT
AC	23.33	23.33

PTA calculated on ( 500,1000,1500 )

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC R	25	20	25	20	25	20	25	20	25	20	25
AC R(M)											
BC R											
BC R(M)											
FF R											
FF R(M)											

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	25	20	25	20	25	20	25	20	25	20	25
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											



डॉ. एस.के. धामवार  
 एम.डी.बी.एस., डी.एल.ओ.  
 कान नाक एवं गला विशेषज्ञ  
 रायपुर (छ.ग.)  
 Reg. No. CG-2042

**TULJA DIAGNOSTICS**

DHANELI, RAIPUR, CG



Patient Name : ANIL MEHTA

Age : 42

Gender : Male

Referred By :


Reference Id : 1521

Session Date : 2024-04-05


Session Examiner :

Test : PTA

**RIGHT**



**LEFT**



PTA	RIGHT	LEFT
AC	23.33	23.33
PTA calculated on ( 500,1000,1500 )		

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC R	25	20	25	20	25	20	25	20	25	20	25
AC R(M)											
BC R											
BC R(M)											
FF R											
FF R(M)											

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	25	20	25	20	25	20	25	20	25	20	25
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											



डॉ. एस.के. धागमवार  
एम.बी.बी.एस., डी.एल.ओ.  
कान नाक एवं गला विशेषज्ञ  
रायपुर (छ.ग.)  
Reg. No. CG-2042



Patient Name : HEMANT DAHRE

Age : 25

Gender : Male

Referred By :


Reference Id : 1524

Session Date : 2024-04-05


Session Examiner :

Test : PTA

**RIGHT**



**LEFT**



PTA	RIGHT	LEFT
AC	23.33	23.33
PTA calculated on ( 500,1000,1500 )		

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC R	25	20	25	20	25	20	25	20	25	20	25
AC R(M)											
BC R											
BC R(M)											
FF R											
FF R(M)											

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	25	20	25	20	25	20	25	20	25	20	25
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											



डॉ. एस.के. आगमवार  
एम.बी.बी.एस., डी.एल.ओ.  
कान नाक एवं गला विशेषज्ञ  
रायपुर (छ.ग.)  
Reg. No. CG.-2042



Patient Name : ANKUR DIXIT

Age : 26

Gender : Male

Referred By :


Reference Id : 1561

Session Date : 2024-04-05


Session Examiner :

Test : PTA

RIGHT



LEFT



PTA	RIGHT	LEFT
AC	23.33	23.33
PTA calculated on ( 500, 1000, 1500 )		

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC R	25	20	25	20	25	20	25	20	25	20	25
AC R(M)											
BC R											
BC R(M)											
FF R											
FF R(M)											

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	25	20	25	20	25	20	25	20	25	20	25
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											



डॉ. एस.क. धामवार  
 एम.बी.बी.एस., डी.एल.ओ.  
 कान नाक एवं गला विशेषज्ञ  
 रायपुर (छ.ग.)  
 Reg. No. CG-2042

# DIAGNOSTICS

ANELI, RAIPUR, CG



Patient Name : ANKUR SHARMA

Age : 22

Gender : Male

Referred By :


Reference Id : 1472

Session Date : 2024-04-05


Session Examiner :

Test : PTA

RIGHT



LEFT



PTA	RIGHT	LEFT
AC	23.33	23.33

PTA calculated on ( 500,1000,1500 )

REQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
C.R	25	20	25	20	25	20	25	20	25	20	25
C.R(M)											
C.R											
C.H(M)											
F.F											
F.F(M)											

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	25	20	25	20	25	20	25	20	25	20	25
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											



डॉ. एस.के. धामवार  
 एम.बी.बी.एस., डी.एल.ओ.  
 कान नाक एवं गला विशेषज्ञ  
 रायपुर (छ.ग.)  
 Reg. No. CG-2042

**TULJA DIAGNOSTICS**

DHANELI, RAIPUR ,CG



Patient Name : SWARAN SINGH

Age : 31

Gender : Male

Referred By :


Reference Id : 1558

Session Date : 2024-04-05


Session Examiner :

Test : PTA

**RIGHT**



**LEFT**



PTA	RIGHT	LEFT
AC	23.33	23.33
PTA calculated on ( 500,1000,1500 )		

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC R	25	20	25	20	25	20	25	20	25	20	25
AC R(M)											
BC R											
BC R(M)											
IT R											
FF R(M)											

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
AC L	25	20	25	20	25	20	25	20	25	20	25
AC L(M)											
BC L											
BC L(M)											
FF L											
FF L(M)											



डॉ. एस.के. धामदार  
 एम.बी.बी.एस., डी.एल.ओ.  
 कान नाक एवं गला विशेषज्ञ  
 रायपुर (छ.ग.)  
 Reg. No. CG-2042



**RAIN WATER HARVESTING FOR SHED AND SOAK PIT FOR RECHARGE WELL**







PIEZOMETER



Bore with Digital Water Meter at Car Parking Area Near Admin. Building



Digital Water Meter in Borewell at gate No. 3

**Godawari Power & Ispat Limited**  
**Expenses of Corporate Social Responsibility**  
**FY : 2023-24**

Unit Name	Expenses (In lac.)	Remark
GPIL Siltara	1,512.42	Including City Office, HIRA CSR Foundation & Tilda
Kachhe Ari Dongri Iron Ore Mines	906.28	
Boria Tibu Iron Ore Mines	129.28	
R.R. ISPAT	121.45	
<b>Grand Total (In lac.)</b>	<b>2,669.44</b>	



**Godawari Power & Ispat Limited  
CSR Expenses for FY: 2023-24**

**Unit Name: Siltara Plant, HIRA Arcade-City Office & HIRA CSR Foundation**

S.No.	CSR project or activity identified.	Sector in which the Project is covered. (Environment Conservation, Infrastructure Development, Sports, Health Care, Drinking Water, Infrastructural Development & Environment, Educational Support, Environment, any other)	Projects or Programs (1) Local area or other (2) Specify the State and district where projects or programs was undertaken.	Amount spent on the projects or programs Sub-heads: (1) Direct expenditure on projects or programs. (2)Overheads: (In lac.)	Amount spent: Direct or through implementing agen
1	Salary paid to the temporary Staff i.e. 03 Teacher & 03 Night Guards in schools of nearby villages for promoting education & security of school campus	Education	Gram Panchayat Siltara, Mandhar & Tanda	4.24	Direct
2	Operational Cost of I.T.I. Hathbandh under Public Private Partnership (PPP)	Education	Hathbandh, Raipur	6.13	Direct
3	Financial Aid to "Friends of Tribal Society" for Eka Vidyalaya in State of Chhattisgarh	Education	Raipur City	43.00	Direct
4	Financial Support for Extension of Building of Aakanksha Lions Institute of learning & Empowerment, Raipur	Education	Raipur City	105.00	Through: Aakanksha Lions Institute of learning & Empowerment
5	Operation cost of Aakanksha Lions School (A School for Special Children), Raipur	Education	Raipur City	12.00	Direct
6	Computer Education to Promote Digital Education for Students	Education	Near by villages	5.01	Through: Data Pro Plus Education and Welfare Society
7	Financial Support for construction of Auditorium for promoting Education to World Renewal Spiritual Trust, Shanti Shikhar, Naya Raipur	Education	Raipur City	4.54	Through: World Renewal Spiritual Trust



S.No.	CSR project or activity identified.	Sector in which the Project is covered. (Environment Conservation, Infrastructure Development, Sports, Health Care, Drinking Water, Infrastructural Development & Environment, Educational Support, Environment, any other)	Projects or Programs (1) Local area or other (2) Specify the State and district where projects or programs was undertaken.	Amount spent on the projects or programs Sub-heads: (1) Direct expenditure on projects or programs. (2)Overheads: (In lac.)	Amount spent: Direct or through implementing agen
8	Financial Assistance for Educational Support of Students	Education	Gram Panchayat Akoli & Raipur City	0.40	Direct
9	Renovation of Boy's Toilet Blocks in Govt. Middle School, Village-Siltara	Education	Gram Panchayat Siltara	2.17	Direct
10	Tie-Up with Step-Up for India (NGO) for providing Basic English Education for students in nearby schools for the session-2023.	Education	Near by villages	50.08	Through: Step-Up India (NGO)
11	Financial Aid to Asha Arpan Divyang Public School for Deaf & Mute Children	Education	Raipur City	5.00	Direct
12	Providing Safe Drinking Water supply by Water Tankers in nearby villages during Summer	Drinking Water	Gram Panchayat Tanda, Siltara, Mandhar, Charoda, Mohadi & Dharsiwa	16.61	Direct
13	Digging of Bore Wells to provide Safe Drinking Water Facility for Public in Raipur City & Submersible pump Fitting in borewells of Mandhar & Tanda	Drinking Water	Raipur City & Gram Panchayat Tanda & Mandhar	1.61	Direct
14	Water Tankers engaged for Dust Suppression in Road of Village Mandhar	Community Welfare	Gram Panchayat Mandhar	4.28	Direct
15	Expenses on maintenance of Plantation in Janpad Panchayat Office, Dharsiwa	Community Welfare	Gram Panchayat Dharsiwa	1.20	Direct
16	Construction of Nirmal Ghat (Pachri) in Pond of village, Sankra	Community Welfare	Gram Panchayat Sankra	4.33	Direct
17	Arti Alcohol & Tobacco Awareness Program for Public Awareness	Community Welfare	Raipur City	1.00	Direct
18	Cleaning of Adbanda Pond at village Mandhar	Community Welfare	Gram Panchayat Mandhar	11.39	Direct
19	Establishment of Old Age Home for Senior Citizen	Community Welfare	Raipur City	145.00	Through : Godawa Seva Trust



S.No.	CSR project or activity identified.	Sector in which the Project is covered. (Environment Conservation, Infrastructure Development, Sports, Health Care, Drinking Water, Infrastructural Development & Environment, Educational Support, Environment, any other)	Projects or Programs (1) Local area or other (2) Specify the State and district where projects or programs was undertaken.	Amount spent on the projects or programs Sub-heads: (1) Direct expenditure on projects or programs. (2)Overheads: (In lac.)	Amount spent: Direct or through implementing agen
20	Expenses on Community Welfare activities in nearby Public Places, Schools, Aanganbadi (Bench, See-Saw, Manpower etc.) & Financial Support for Marriage & Lavelling of Play Ground for children, Renovation of Jayat Khambh (ward no-11, Siltara) etc.	Community Welfare	Nearby villages	13.68	Direct
21	Contribution to Collector Kabirdhaam for welfare & Infrastructural activities, District Kabirdham	Community Welfare	District Kabirdham	50.00	Direct
22	Renovation Work in Muktidaam Siltara & Tanda	Community Welfare	Gram Panchayat Siltara & Tanda	22.36	Direct
23	LED street lights provided to Gram Pachayat Tanda & Mandhar for better road connectivity & safety	Community Welfare	Gram Panchayat Tanda & Mandhar	1.94	Direct
24	Financial Aid for livelihood support of poor families	Livelihood	Gram Panchayat Dhanelli & Siltara	1.36	Direct
25	Repairing, Leveling & Cleaning of roads by providing slag material & JCB for nearby villages of GPIL during monsoon season	Infrastructure Development	Gram Panchayat Tanda, Siltara, Mandhar, Neuirdih, Charoda, Dharsiwa, Raipur City, Akoli etc.	2.83	Direct
26	Play Ground leveling, Drainage & Paver Block fixing in Govt. Middle School, Siltara	Infrastructure Development	Gram Panchayat Siltara	7.40	Direct
27	Construction of Cultural Stage Ward No-18, Mandhar	Infrastructure Development	Gram Panchayat Mandhar	2.33	Direct
28	Construction of Community Room Ward No-01, Mandhar	Infrastructure Development	Gram Panchayat Mandhar	3.44	Direct



S.No.	CSR project or activity identified.	Sector in which the Project is covered. (Environment Conservation, Infrastructure Development, Sports, Health Care, Drinking Water, Infrastructural Development & Environmental, Educational Support, Environment, any other)	Projects or Programs (1) Local area or other (2) Specify the State and district where projects or programs was undertaken.	Amount spent on the projects or programs Sub-heads: (1) Direct expenditure on projects or programs. (2)Overheads: (In lac.)	Amount spent: Direct or through implementing agen
29	Construction of 03 Class Rooms in Govt. School at Village Murethi	Infrastructure Development	Gram Panchayat Murethi	9.65	Direct
30	Construction of CC Road in Ward No-08 & 16, Village Dondekhurd	Infrastructure Development	Gram Panchayat Dondekhurd	18.17	Direct
31	Construction of CC Road in Ward No-01 & 16 (Hathnin Talab) at village Siltara	Infrastructure Development	Gram Panchayat Siltara	15.67	Direct
32	Construction of Community Building (Mangal Bhawan) Ward No-01, Tanda	Infrastructure Development	Gram Panchayat Tanda	41.70	Direct
33	Renovation of Mahamaya Chowk, in front of IOCL, Siltara	Infrastructure Development	Gram Panchayat Siltara	1.74	Direct
34	Construction of CC Road in Ward No-08 & 14 at village Mandhar	Infrastructure Development	Gram Panchayat Mandhar	4.29	Direct
35	Construction of 01 Class Room, Siksha Snatak Mahavidyalaya (College), Village Mandhar	Infrastructure Development	Gram Panchayat Mandhar	5.84	Direct
36	Financial assistance to Udayanchal Sanstha, Rajnandgaon for Eye Hospital Building at Rajnandgaon	Health Care	District - Rajnandgaon	175.00	Through: Udayanch Sanstha
37	Memography Van provided to Balco Medical Cancer Hospital, Raipur	Health Care	Raipur City	77.50	Through: Vedanta Medical Research Foundation
38	Financial assistance to MGM Eye Hospital, Raipur	Health Care	Raipur City	250.00	Through: Miki Memorial Trust
39	Expenses on maintenance of Green Belt Area (Oxy Zone) in Siltara	Environment Conservation	Gram Panchayat Siltara	2.10	Direct



S No.	CSR project or activity identified.	Sector in which the Project is covered. (Environment Conservation, Infrastructure Development, Sports, Health Care, Drinking Water, Infrastructural Development & Environment, Educational Support, Environment, any other)	Projects or Programs (1) Local area or other (2) Specify the State and district where projects or programs was undertaken.	Amount spent on the projects or programs Sub-heads: (1) Direct expenditure on projects or programs. (2)Overheads: (In lac.)	Amount spent: Direct or through implementing agency
40	Expenses on Maintenance of Garden & Plantation at Swami Vivekananda Airport, Raipur	Environment Conservation	Raipur City	3.49	Direct
41	Expenses on Manpower engaged in nearby villages of GPIL for maintenance of plantation	Environment Conservation	Near by villages	2.49	Direct
42	Construction of CC Road Sarora, Tilda	Infrastructure Development	Tehsil - Tilda	110.84	Direct
43	Development of Guru Ghasidas Das Baal Udyan Sarora, Tilda	Community Welfare	Tehsil - Tilda	16.36	Direct
44	Expenses on monitoring of Plantation work in Sarora, Tilda	Environment Conservation	Tehsil - Tilda	1.77	Direct
45	HIRA CSR Foundation	Education, Health Care & Community Welfare	Raipur City & Nearby villages of GPIL & Mines	193.00	Through Hira CSR Foundation having Registration No. CSR000008219
46	Amount spent in Administrative Overheads	Administrative cost	Nearby villages	54.47	Direct
			<b>Total (In Lac)</b>	<b>1,512.42</b>	



**Godawari Power & Ispat Limited**

**CSR Expenses for FY: 2023-24**

**Unit Name: Kachhe Aridongri Iron Ore Mines**

S.No.	CSR project or activity identified.	Sector in which the Project is covered. (Environment Conservation, Infrastructure Development, Sports, Health Care, Drinking Water, Infrastructural Development & Environment, Educational Support, Environment, any other)	Projects or Programs (1) Local area or other (2) Specify the State and district where projects or programs was undertaken.	Amount spent on the projects or programs Sub-heads: (1) Direct expenditure on projects or programs. (2)Overheads: (In lac.)	Amount spent: Direct or through implementing agency
1	Operating Free First Aid Health Centre & 24x7 Free Ambulance Service for villagers	Health Care	Peripheral villages of Kachhe Aari Dongri Mines	65.99	Through Red to Health Services Shaheed Hospital.
2	Expenses on Water Tankers engaged for Maintenance of Plantation	Environment	In the Nearby Villages of Mines	1.00	Direct
3	Expenses on Water Tankers engaged for Dust Suppression on Roads	Community Welfare	In the Nearby Villages of Mines	17.92	Direct
4	Monthly Salary of temporary community teachers engaged in the Govt. Schools in Nearby Villages of Kachhe Aridongri Iron Ore Mines for the Session 2023	Education	Govt. schools of Kachhe & Parrekodo Gram Panchayat	16.61	Direct
5	Operational cost of Free Stitching & Tailoring Center at Kachhe & Parrekodo for tribal women	Women Empowerment	Gram Panchayat Kachhe & Parrekodo	2.18	Direct
6	Sports Items distribution in Govt. Hostel of Bhanupratappur	Education	Kanker District	0.50	Direct





S.No.	CSR project or activity identified.	Sector in which the Project is covered. (Environment Conservation, Infrastructure Development, Sports, Health Care, Drinking Water, Infrastructural Development & Environment, Educational Support, Environment, any other)	Projects or Programs (1) Local area or other (2) Specify the State and district where projects or programs was undertaken.	Amount spent on the projects or programs Sub-heads: (1) Direct expenditure on projects or programs. (2)Overheads: (In lac.)	Amount spent: D or through implementing ag
7	Tuition Fee provided for Financially Weak Students those who are selected in NIT, IIT & Medical through Collector, Uttar Bastar	Education	Kanker District	5.04	Direct
8	Renovation of Shaheed Smarak Garden in Kanker	Community Welfare	District - Kanker	3.00	Direct
9	Financial aid for Eklavya Model Residential School through the Collector Uttar Bastar	Education	District - Kanker	92.95	Direct
10	Maintenance of Play Ground for Childrens in village	Community Welfare	In the Nearby Village of Mines	0.95	Direct
11	Construction of CC Road in Parrekodo village covering 04 different bastis	Health Care	In the Nearby Villages of Mines	122.40	Direct
12	Payment to Gram Panchayat Kachhe for Infrastructure Development	Infrastructure Development	In the Nearby Villages of Mines	16.58	Direct to Gram Panchayat Kach
13	Financial aid for Operational cost of Diagnostic Center Bhanupratappur through the Collector Uttar Bastar	Health Care	Kanker District	39.43	Direct
14	Operational Cost for maintenance of Street Light, Kachhe	Community Welfare	Gram Panchayat Kachhe	1.53	Direct



S.No.	CSR project or activity identified.	Sector in which the Project is covered. (Environment Conservation, Infrastructure Development, Sports, Health Care, Drinking Water, Infrastructural Development & Environment, Educational Support, Environment, any other)	Projects or Programs (1) Local area or other and district where projects or programs was undertaken.	Amount spent on the projects or programs Sub-heads: (1) Direct expenditure on projects or programs. (2)Overheads: (In lac.)	Amount spent: D or through implementing ag
15	Construction of Weekly Market Platform & Shed at Village Kachhe	Infrastructure Development	Gram Panchayat Kachche	2.02	Direct
16	Construction of 2000 Mtr. CC Road Width 18mtr alongwith RCC Retaining Wall from Shalhe Chowk to Kachche Village & Dongripara to Dafaipara	Infrastructure Development	In the Nearby Village of Mines	518.20	Direct
			<b>Total (In Lac)</b>	<b>906.28</b>	



**Godawari Power & Ispat Limited**  
**CSR Expenses for FY: 2023-24**  
**Unit Name: Boria Tibu Iron Ore Mines**

S.No.	CSR project or activity identified.	Sector in which the Project is covered. (Environment Conservation, Infrastructure Development, Sports, Health Care, Drinking Water, Infrastructural Development & Environment, Educational Support, Environment, any other)	Projects or Programs (1) Local area or other (2) Specify the State and district where projects or programs was undertaken.	Amount spent on the projects or programs Sub-heads: (1) Direct expenditure on projects or programs. (2)Overheads: (In lac.)	Amount spe Direct or thr implementin agency
1	Operating Free First Aid Health Centre & Ambulance Service for Villagers	Health Care	Peripheral villages of Boria Mines	39.88	Through Re Green Health services & Shaheed Hospital
2	Monthly Salary of Community Teachers engaged in Govt. Primary, Middle & High Schools of Nearby Villages of Boria Tibu Mines	Education	Peripheral villages of Boria Mines	11.21	Direct
3	Renovation of Swami Aatmanand English Medium School, Vicharpur	Education	District-Manpur Mohla	54.95	Direct
4	Financial Support to Udaan IAS Academy for providing Free IAS Coaching to 120 tribal students	Education	District-Manpur Mohla	21.37	Through: M. Sharda Vidy Educational Society
5	Water Tanker engaged for Dust Suppression & Drinking Water supply from Khadgaon to Boria	Drinking Water	Peripheral villages of Boria Mines	1.88	Direct
			<b>Total (In Lac)</b>	<b>129.28</b>	



**Godawari Power & Ispat Limited**  
**CSR Expenses for FY: 2023-24**  
**Unit Name: R.R.Ispat**

S.No.	CSR project or activity identified.	Sector in which the Project is covered. (Environment Conservation, Infrastructure Development, Sports, Health Care, Drinking Water, Infrastructural Development & Environment, Educational Support, Environment, any other)	Projects or Programs (1) Local area or other (2) Specify the State and district where projects or programs was undertaken.	Amount spent on the projects or programs Sub-heads: (1) Direct expenditure on projects or programs. (2)Overheads: (In lac.)	Amount spent: Dii through implemer agency
1	Expenses on Plantation in Urla area	Environment Conservation	Raipur City	29.41	By R.R.Ispat
2	Maintenance of Garden & Fountain in Telibandha Chowk (Manpower, Land Escaping, Plantation Etc.)	Environment Conservation	Raipur City	9.00	Direct through Ispat
3	Maintenance expenses on Plantation at RKC Compound	Environment Conservation	Raipur City	3.56	Direct through Ispat
4	Expenses on Plantation in Ambleshwar	Environment Conservation	Ambleshwar	3.83	Direct through Ispat
5	Expenses on Plantation in Premises of Udyog Bhavan, Raipur	Environment Conservation	Raipur City	3.03	Direct through Ispat
6	Expenses on maintenance of Plantation at Industrial Area Siltara Chowk	Environment Conservation	Raipur City	72.63	Direct through Ispat
			<b>Total (In Lac)</b>	<b>121.45</b>	

