

Fwd: Submission of Six Monthly Report on EC Conditions (October, 2024 to March, 2025) of RR Ispat (A Unit of GPIL) Rajkumar Agrawal to: abhishek.kesharwani 09-06-2025 11:20 Hide Details From: "Rajkumar Agrawal" <rk.raipur2008@gmail.com> To: abhishek.kesharwani@gpil.in

1 Attachment



Six Monthly EC Compliance Report Oct 24 to March 25.pdf

------ Forwarded message ------From: **B Gopal Rao** <<u>hira.corporate@gmail.com</u>> Date: Sat, May 31, 2025 at 12:34 PM Subject: Submission of Six Monthly Report on EC Conditions (October, 2024 to March, 2025) of RR Ispat (A Unit of GPIL) To: <<u>iro.raipur-mefcc@gov.in</u>>, Kanwarjit Singh <<u>apccfcentral-ngp-mef@gov.in</u>>, <<u>seaccg@gmail.com</u>>, <<u>seiaacg@gmail.com</u>>, Head Office CECB <<u>hocecb@gmail.com</u>>

Dear Sir,

We are submitting herewith the six monthly compliance of conditions stipulated in Environment Clearance No. 834/SEIAA-CG/ SIA/ CG/IND/468 dated 19/01/2018 granted for Rolling Mill of R.R. Ispat (A Unit of Godawari Power & Ispat Limited), Urla Industrial Area, Urla, Dist. Raipur, Chhattisgarh for the period **from October**, 2024 to March, 2025.

This is for your kind information and necessary record please.

Thanking you,

Yours faithfully, for RR Ispat (A Unit of Godawari Power and Ispat Ltd.)

Thanks and Regards

R.K.AGRAWAL

R.R.ISPAT (A UNIT OF GODAWARI POWER & ISPAT LTD.)

Contact No. 9893900136



File No. RRI/EMS/

Date: 31 /05/2025

To.

The Scientist - C, Ministry of Environment, Forest & Climate Change Integrated Regional Office, Aranya Bhawan North Block, Sector-19 Naya Raipur, Atal Nagar, Chhattisgarh- 492002

- Subject: Submission of six monthly reports on status of compliance of the conditions stipulated in Environment Clearance.
- Reference : Environmental Clearance vide letter No. 834/SEIAA-CG/SIA/CG/IND/468 Naya Raipur dated 19/01/2018.

Dear Sir.

This has reference to the Environment Clearance for our Rolling Mill of capacity 214000 TPA situated at Urla Industrial Area, Raipur, Chhattisgarh.

We are submitting the six monthly compliance status in respect of the above EC for the period from Oct, 2024 to Mar, 2025.

This is for your kind information and necessary record please.

Thanking you,

Yours faithfully, For; RR Ispat (A Unit of Godawari Power & Ispat Ltd.)



R.R.Ispat (A Unit of Godawari Power and Ispat Limited) An ISO 9001:2015, ISO 14001:2015 & OHSAS 45001:2018 Certified Company

Work Address: 480,480/1,490/1 & 491/2 Urla Industrial Area, Raipur, Chhattisgarh 492003, P: 07714082350 Corporate Office :1st Floor, Hira Arcade, Near Bus Stand, Pandri, Raipur -492004, Chhattisgarh, India. P: 07714082721 Registered Office : 428/2, Phase -1, Industrial Area, Siltara, Raipur -493111, Chhattisgarh, India. www.hiragroupindia.com

SIX MONTHLY COMPLIANCE REPORT

PART-I: DATA SHEET

1	Project Type: River- valley/Mining/Industry/Thermal/ Nuclear/Other (Specify)	Industry
2	Name of the project	Rolling Mill Expansion from 1.00 lac TPA to 2.14 lac TPA R.R. Ispat (A Unit Of Godawari Power &Ispat Ltd.)
3	Clearance Letter(s)/OM No. and date	834/SEIAA-CG/SIA/CG/IND/468 Dated : 19/01/2018
4	Location	Urla Industrial Area, Urla
	a. District (s)	Raipur
	b. State (s)	Chhattisgarh
	c. Latitude/ Longitude	21° 18.95' to 21° 19.23' N/ 81° 36.89 to 81° 36.97 E
5	Address for correspondence	
	a. Address of the Concerned Project Chief Engineer (With Pin Code & Telephone/ Telex/ Fax Numbers)	Mr. Dinesh Agrawal Director RR. Ispat (A Unit of Godawari Power &Ispat Ltd.) Hira Arcade, Near Bus Stand, Pandri, Raipur – 492004 (C.G.) TEL. NO. 0771-4082706, 4082707
6	Salient Features	Enclosed in Annexure-A
	a. of the project	
	b. of the environmental management plans	
7	Break-up of the project area	
	a. Submergence Area: Forest & Non-Forest	
	b. Other	Leasehold Land: 0.831 ha
		Freehold Land: 4.517 ha
	c. Total Plot Area	5.348 ha
	d. Built-up Area	2.894 ha
	e. Open Space available (Including Road)	0.69 ha
	f. Green belt area	1.764 ha
8	Break-up of the Project affected population with enumeration of those losing houses/dwelling units only, agricultural land only, Both dwelling units & agricultural land and landless laborers/artisans. a. SC, ST/Adivasis b. Others	
9	Financial Details	
	a. Project cost as originally planned and subsequent revised estimates and the year of price	about Rs.40.49Crores.
	reference	The investment is res. 562.76 erores us on 56.66.

14	Dates of site visits	15/05/2015 - Visit of RO, MoEF, Bho	opal
13	Reasons for the delay if the project is yet to start.		
	b. Date of Completion (Actual &/ or Planned)		
	a. Date of commencement (Actual	The commissioning of expanded cap was 21/03/2018.	acity of 2,14,000 TF
12	Status of construction (Actual &/or Planned)	· · · ·	14
11	forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information required.		
	afforestation, if any	Not Applicable	
	diversion of forest land for non- forestry use.		
10	Forest land requirement	Not Applicable	
	 f. Actual expenditure incurred on the environmental management plan so far 	Rs. 7.50 Crores (Upto April, 2025)	
	the project so far		
nesta	environmental management as shown in the above	1 A infrantistic internation	1.040-1
	c. Benefit cost ratio/ Internal Rate of Return and the year of assessment	-	
		Total	1.0 Cr.
		Rain Water harvesting	0.1 Cr.
		Monitoring Cell	0.05 Cr.
		Tree plantation	0.05 Cr.
		Solid Waste Management	0.2 Cr.
		Waste Water treatment system	0.2 Cr.
		lans with item wise and year- vise breakup. pollution control, plantation, rain water harvesting, etc. Air 'emission control system 0.4 Cr. Waste Water treatment system 0.2 Cr. Solid Waste Management 0.2 Cr. Solid Waste Management 0.2 Cr. Rain Water harvesting 0.1 Cr. Tree plantation 0.05 Cr. Monitoring Cell 0.05 Cr. Rain Water harvesting 0.1 Cr. Total 1.0 Cr. Benefit cost ratio/ Internal Rate of Return and the year of resessment - Nheher c, includes the cost of revironmental management as hown in the above - Actual expenditure incurred on he project so far Rs.302.78 Crores as on 30/03/2025 Actual expenditure incurred on he environmental management plan so far Rs. 7.50 Crores (Upto April, 2025) Status of clearing felling. - The status of approval for diversion of forest land for non- forestry use. Not Applicable The status of clear felling in non- est areas (such as submergence a of reservoir, approach roads), ny with quantitative information uired. Not Applicable The commissioning of expanded capacity of 2,14,000 T was 21/03/2018. - Date of Completion (Actual &/ Planned) The commissioning of expanded capacity of 2,14,000 T was 21/03/	
	environmental management	cost for EMP per annum will be R	s. 25 Lacs towards

3

of Godawa

	 a) The dates on which the project was monitored by Regional Office on previous occasions, if any 		7 – Visit of RC 9 – Visit of RC		
	b) Date of site visit for this monitoring Report.	-			
15	Details of correspondence with project authorities for obtaining	Given as b	below:		
	action plans/ information on status of compliance to safeguards other than the routine letters for logistic	Date	Letter from RO	Date / RR ISPAT Letter date	Reply from PA
	support for site visits.	28/10/14	Status and compliance called	03/12/14	Point-wise status and compliance submitted
		13/08/15	Certified compliance report issued	12/12/15	Compliance status submitted.
		-	-	14/06/16	Compliance status submitted
		07/07/17	Status Report on the stipulated compliance conditions issued	26/12/16	Compliance status submitted
		-	-	06/06/17	Compliance status submitted
		-		06/06/17	Compliance status submitted
		-	-	15/07/17	Clarifications submitted o expansion programme.
		-	-	23/12/17	Compliance status submitted
		-	-	16/06/18	Compliance status submitted
		7	-	24/12/18	Compliance status submitted
		-	-	31/05/19	Compliance status submitted
		-	-	03/12/19	Compliance status submitted
		-	-	18/06/20	Compliance status submitted
				07/12/20	Compliance status submitted
		-	-	16/06/21	Compliance status submitted
		-	-	15/11/21	Compliance status submitted
		-	-	31/05/22	Compliance status submitted
		-	-	01/12/22	Compliance status

RAIPUP

			submitted	
-	-	01/06/23	Compliance submitted	status
		23/11/23	Compliance submitted	status
•	-	28/05/24	Compliance submitted	status
-		21/11/24	Compliance submitted	status



PART-II

POINT WISE COMPLIANCE STATUS

विषय :--प्लॉट नं 490/1,273/3,273/6,476/2,484, 485,486,490/2,474,489/1 496,497,239/1 239/2, 240, 241, 236/1, 236/2,327/1, 327/2, 327/3,328/1, 328/2,330/1,330/2,324/1,271/5, एंव 271/5 ज़ाम --उरला तहसील व जिला-- रायपुर में कुलभुमि 7,899 हेक्टयर में रोलिंग मिल 1,00,000 टन/वर्ष से 2,14,000 टन/वर्ष हेतु पर्यावर.ण स्वीकृति जारी करने के सम्बन्ध में।

REFERENCE : Environmental Clearance vide letter No. 834/SEIAA- CG/SIA/CG/IND/468 Naya Raipur dated 19/01/2018.

S. NO.	EC CONDITIONS	COMPLIANCE STATUS AS ON 31.03.2025
1	No additional land shall be acquired for expansion project.	Agreed, No additional land has been acquired for expansion project.
2	No furnace oil, LDO, HSD etc. liquid fuel shall be used in the re-heating furnace of rolling mill. Only gas generated from coal gasifier shall be used as fuel in the re-heating furnace of rolling mill.	Agreed, only gas generated from coal gasifier is used as fuel in the re-heating furnace of rolling mill.
3	Project authority shall provide adequate facility for proper treatment of industrial effluent and domestic effluent. Closed cycle cooling system shall be provided. Minimum water for makeup purposes shall be ensured. Cooling water shall be cooled in cooling system and after cooling reused for cooling purpose. Domestic effluent shall be treated in well-designed septic tank and soak pits. In case of any failure of effluent treatment arrangement, it shall be immediately rectified or same alternate arrangement shall be provided. Treated effluent shall be utilized either in process or for plantation purposes within plant premises. Any liquid effluent what so ever generated from industrial activities and un- treated / treated domestic effluent shall not be discharged into the river or any surface water bodies under any circumstances. The treated domestic effluent shall be used for plantation purpose after proper disinfection. Project	CECB, Raipur.



	authority shall make arrangement of suitable	
	drains / pipe networks to ensure adequate flow	
	for full utilization of treated effluent inside the	
SECTOR CONTRACTOR	premises. The concept of zero discharge shall be	NEW MORE THE REAL POST OF THE POST OF T
	maintained all the time except during monsoon.	
	Arrangements shall be made that effluents and	
	storm water do not get mixed. Project authority	
	shall ensure the treated effluent quality within	
	standard prescribed by Ministry of Environment,	
	Forest and Climate Change, Government of	
	India. Industrial wastewater shall conform to	
	the standards prescribed under GSR 422 (E)	
	dated 19th May, 1993 and December, 1993 or as	
	amended form time to time.	
4	Project authority shall provide adequate	Water meters have already been provided for
4	measuring arrangements for the measurement of	the measurement of water being utilized and
	water utilized in different categories and effluent	the same are operational.
	generated before commissioning of the plant	and sume are operational
-	with expanded capacity.	The high efficiency wet scrubber has already
5	Project authority shall ensure that particulate	been installed to control the particulate matter
	matter emission shall not exceed 40 mg / Nm3	emission within prescribed standard.
	under any circumstances by up-gradation /	emission within prescribed standard.
	modification of existing air pollution control	The state in the second s
	systems.	The stack emission monitoring is being
		carried out by adopting isokinetic sampling
		regularly and report submitted to RO, CECB,
		Raipur.
		In addition to this, online continuous
	•	monitoring system for continuous
		measurement of particulate matter has been
		installed, the real time monitoring data is
		uploaded in CECB server.
6	Project authority shall provide adequate air	The present stack height attached to reheating
	pollution control arrangements at all point and	furnace of rolling mill is 44 meters.
	non point sources. Scrubber and air recuperator	
	of adequate capacity and high efficiency shall be	Scrubber with ID fan of capacity 15000 m3/hr
	installed in rolling mill reheating furnace to	for flue gas treatment has been installed
	ensure outlet dust (particulate matter) emission	between the recuperator and chimney to
	less than 40 mg / Nm3 all the time. Low NOx	achieve the outlet dust emission less than 40
	burners shall be installed in furnace of rolling	mg/Nm ³ .
	mill. Project authority shall install suitable &	
_	min. Project authority shan mstan suitable &	The stuck enhoused monitoring report



effective air pollution control equipments at all submitted to RO, CECB, Raipur regularly. online continuous transfer points, junction points etc. also. All the addition to this. In conveying system, transfer point, junction point for monitoring system etc. shall be covered. Adequate and effective measurement of particulate matter has been installed, the real time monitoring data is arrangement shall be made for sprinkling of water at strategic locations to ensure dust does uploaded in CECB server. not get air borne. For controlling fugitive dust, regular sprinkling of water in vulnerable areas of Water sprinkling facilities have been provided through water tankers at internal roads, Coal the plant and internal roads shall be ensured. Yard etc. to control fugitive emission. Low Proper ventilation shall also be provided in NOx burners has been installed in furnace of rolling mill plant. The emission of pollutants from any point source shall not exceed the rolling mill. Space provision exists for further retrofitting of air pollution control systems in following limit: case of further stringency of particulate matter 40 mg/Nm3 emission limit. (Forty Milligram per Normal Cu Particulate Meter) Matter The Chhattisgarh Environment Conservation Board may specify more stringent standards for the relevant parameters keeping in view the nature of the industry and its size and location. At no time the emission level shall go beyond the prescribed standards. Interlocking facilities shall be provided so that process can be automatically stopped in case emission level exceeds the limit. Project authority shall provide proper space provision for further retrofitting of air pollution control systems in case of further stringency of particulate matter emission limit.Height of the stack attached to reheating furnace of rolling mill shall not be less than 44 meters. Secondary fugitive emissions shall be controlled Secondary fugitive emission controlled with the following measures : and shall be kept within the prescribed limits a. All the internal roads and raw material and regularly monitored. Guidelines / Code of handling yards have been concreted. Practice issued by the CPCB in this regard shall b. Collection of road spillage materials at be followed. Project authority shall maintain fugitive dust emissions to the minimum level in regular intervals.

7

c. Regular water sprinkling at dust generating points.

d. Proper housekeeping is being maintained.

The fugitive emission monitoring is carried

has

been

continuous

8

the areas of road transportation routs of raw

material, product to ensure National Ambient

Air Quality Standards prescribed including

black topping / asphalting / concreting and

	maintenance with requisite water sprinkling arrangements.	out regularly and the results of the same are within the permissible limits.
		Ambient Air Quality Monitoring Stations (04 Nos) have been established in the plant for the measurement of PM ₁₀ , PM _{2.5} , SO ₂ & NOx. The Ambient Air Quality Monitoring is being carried out regularly and report submitted to RO, CECB, Raipur.
8	All air pollution control systems shall be kept in good running conditions all the time and failure (if any), shall be immediately rectified without delay otherwise similar alternate arrangement shall be made. In the event of any failure of any pollution control system adopted by the Project authority, the respective production unit shall not be restarted until the control measures are rectified to achieve the desired efficiency.	All air pollution control systems are kept healthy and operational in good condition all the time.
9	Online Continuous Stack Emission Monitoring System shall be installed for measurement of particulate matter. Project authority shall ensure regular transfer of data of Online Continuous Stack Emission Monitoring System to CECB. Regular monitoring of ground level concentration of SO2, NOx, PM10 and PM2.5 at at-least four stations shall be carried out in the impact zone and records maintained. The location of the monitoring stations and frequency of monitoring shall be decided in consultation with Chhattisgarh Environment Conservation Board Raipur. The data so collected shall be properly analyzed and periodic reports shall be submitted to Chhattisgarh Environment Conservation Board, Raipur, Regional Office, Chhattisgarh Environment Conservation Board, Raipur, SEIAA, Chhattisgarh and Regional Office, Ministry of Environment, Forest and Climate Change, Government of India, Nagpur.	RO, CECB, Raipur.
10	Project authority shall install separate electric metering arrangements with time totalizer and interlocking arrangement for the running of	We have already installed separate electric meter with time totalizer to monitor energy consumption of the pollution control equipment, record of the serve is being

Rake hindro RAIP an Power

	pollution control devices. These arrangements shall be made in such a fashion that any non- functioning of pollution control device / devices shall immediately stop the electric supply to the fuel / raw materials supply system and shall remain tripped till the pollution control device / devices are made functional again / rectified to achieve the desired efficiency.	maintained properly. The procedure is observed regularly that electric supply is being stopped in the case of non-functioning of pollution control equipments.
11	Project authority shall utilize the fly ash bricks / blocks etc. in all construction activities.	Fly ash bricks/blocks, fly ash based products are being used in construction/ repairing activities.
12	Project authority shall take effective steps for safe disposal of solid wastes and sludge. End cutting from rolling mill shall be used as raw material in induction furnace units. Mill scales shall be sold to sinter plant/ Ferro alloys / Casting units. Oily sludge shall be sold to authorized recyclers / re-processors for proper disposal through incineration. Project authority shall obtain authorization from Board for	End cutting of rolling mill is reprocessed in in-house units of the plant. Presently 100% heating of raw material is done by producer gas, hence no oily sludge generation. Authorization under Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016 obtained vide
-	management and handling of hazardous materials as per Hazardous and Other Wastes (Management and Transboundary Movement) more set of the construction activities.	authorization no. 9456/HSMD/HO/CECB/Naya Raipur from Chhattisgarh Environment Conservation Board, Raipur (C.G.).
13	Coal ash from coal gasifier shall be used in fly ash brick plant / land filling and coal tar shall be sold to registered vendors. Mill scales shall be collected through sedimentation pit and utilized as a raw material in steel / ferro alloys plants.	steel/ferro alloy plants.
14	All the internal roads shall be made pucca. Regular cleaning of roads shall be ensured. Project authority shall adopt good house keeping practices within premises.	All the internal roads are already concreted and good housekeeping is in practices
15	Project authority shall take proper action to control the noise pollution. Project authority shall install appropriate noise barriers / control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation to control the noise. Earplugs / ear muffs etc.	Control measures such as maintenance of all machines are being done regularly. The noise level is well within prescribed standard in the plant premises as well as work environment.
	shall be provided to the employee working in the high noise areas. Leq of / noise levels emanating from machines shall be limited to 75	However, as a precaution, the workers engaged at noisy areas are being providing with ear plugs/muffs.





24.4	ID (A) The self-limit shall be a second of a	Workmen (20 Nos) engaged in noisy areas has
	dB (A). The noise level shall not exceed the limits 75 dB (A) during the daytime and 70 dB	been examined in year 2024 and audiometric
	(A) during the night time within the factory premises. Project authority shall take adequate measures for control of noise level below 85 dB	test report is enclosed as Annexure –I.
	(A) in the work environment. Workers engaged	
	in noisy areas shall be periodically examined to	
	maintain audiometric record and for treatment	
	for any hearing loss including rotating them to non-noisy / less noisy areas.	
16	First aid and sanitation arrangements shall be	First aid and sanitation arrangement is
10	made for the drivers and other contract workers.	available for drivers and other contract workers.
17	Up-gradation / modification of effluent	The capacity of existing effluent treatmen
	treatment system and air pollution control	system and air pollution control equipments is sufficient to achieve the prescribed norms
	equipments shall be taken up simultaneously with other civil / mechanical works of expansion	(waste water & air).
	(if any). The progress of the activities related to	(waste water to an).
	the project shall be submitted periodically to	
	Chhattisgarh Environment Conservation Board,	
	Raipur, Regional Office, Chhattisgarh	
	Environment Conservation Board, Raipur,	
	SEIAA, Chhattisgarh and Regional Office,	
	Ministry of Environment, Forest and Climate	
10	Change, Government of India, Nagpur.	Spontaneous fires prone areas have already
18	Adequate safety measures shall be provided in the plant area to check / minimize spontaneous	been equipped with different category of fire
	fires. Copy of the these measures with full	extinguishers to check/ minimize spontaneou
	details along with location plant layout shall be	fires.
	submitted to Chhattisgarh Environment	
	Conservation Board, Raipur, Regional Office,	
	Chhattisgarh Environment Conservation Board,	
	Raipur, SEIAA, Chhattisgarh and Regional	
	Office, Ministry of Environment, Forest and	
19	Climate Change, Government of India, Nagpur. Disaster Management plan shall be prepared to	Disaster Management plan has been prepared
19	meet any eventuality in case of an accident	and to be submitted to Health & Safet
	taking place. Mock drills shall be conducted	Department.
	regularly and based on the same, modifications	
	required, if any shall be incorporated in the DMP.	
20	As far as possible maximum area of open spaces	The extensive green belt with approx. 250
20		

RAIP an Power

	authority shall abide by the decisions taken by Ministry of Environment, Forest and Climate Change, Government of India / Central Government / Central Pollution Control Board from time to time in this regard. Adequate wide green belt of Local broad leaf species shall be developed in the 1.628 ha land. Central Pollution Control Board guidelines shall be followed in planning and developing green belt and selection of species etc.	species has been developed in the plant premises including all vacant areas, peripheral areas and road sides. Huge outside plantation with approx. 29577 trees has been done on both sides of main road in Urla Industrial Area. Oxy-Zone is being developed with mass plantation in Siltara area also.
21	Plantation shall be completed within first year. In case project proponent fails to carry out plantation, this environment clearance may be cancelled.	The extensive green belt with approx. 2500 plants (Rolling mill area) of broad leaf local species has been developed in the plant premises including all vacant areas, peripheral areas and road sides. Huge outside plantation with approx. 29577 trees has been done on both sides of main road in Urla Industrial Area.
		Oxy-Zone is being developed with mass plantation in Siltara area also.
22	Project authority shall provide garland drains with appropriate check dams all along the raw materials storage areas etc. to avoid any possibility of erosion (wearing away) during rain. Sedimentation pits shall be constructed at the corners of the garland drains. Project authority shall provide adequate collection and treatment arrangement for proper management of storm water. The surface run-off shall be de- silted through a series of check dams and drains.	Well drainage system already developed in raw material storage area and other areas of the plant.
23	Project authority shall develop rainwater- harvesting structures to harvest the rainwater for utilization in the lean season as well as to recharge the ground water table. A detailed scheme for rainwater harvesting to recharge the ground water aquifer shall be prepared in consultation with Central Ground Water Authority / State Ground Water Board. A copy of the same shall be submitted within three months to the Chhattisgarh Environment Conservation Board, Raipur, Regional Office,	 12 nos. of recharge wells and 04 nos. o ground water recharge measures have already been constructed within plant premises to recharge ground water. We have also installed ground water lever recorder for measurement of ground water level. (Photographs enclosed a Annexure - II).





shou main 25 The the e guar Asse Plan 26 Proje envir funct unde shall A techr influ soil, shall 27 Adec unde com norm econ surro deve prog care subn		Being implemented as per Factories Act. All environmental protection measures are being implemented as per the recommendations of EIA/EMP report. The Environmental Cell is functioning under well qualified environmental team of our parent company Godawari Power & Ispat Ltd. to monitor the environmental measures.
26 Proje envir func unde shall A techr influ soil, shall 27 Adec unde com norm econ surro deve prog care subn	environmental protection measures and safe ds recommended in the Environment Impact essment Report / Environment Management ect authority shall establish an ronmental management cell to carryout tion relating to environmental management er the supervision of senior executive who I directly report to the head of organization. full-fledged laboratory with qualified nical / scientific staffs to monitor the tent, effluent, ground water, surface water,	being implemented as per the recommendations of EIA/EMP report. The Environmental Cell is functioning under well qualified environmental team of our parent company Godawari Power & Ispat Ltd.
envii funci unde shall A techi influ soil, shall 27 Adec unde comi norm econ surro deve prog care subn	ronmental management cell to carryout tion relating to environmental management er the supervision of senior executive who I directly report to the head of organization. full-fledged laboratory with qualified nical / scientific staffs to monitor the tent, effluent, ground water, surface water,	well qualified environmental team of our parent company Godawari Power & Ispat Ltd.
unde comi norm econ surro deve prog care subn	l be provided.	
Boar Regi Fore	quate funds shall be allocated for ertaking CSR activities (apart from mitted plantation) as per Government ns. Project authority must undertake socio- tomic development activities in the bunding villages like community elopment programmes, educational grammes, drinking water supply and health etc. Details of activities shall also be nitted to Chhattisgarh Environment servation Board, Naya Raipur, Regional ce, Chhattisgarh Environment Conservation rd, Bilaspur SEIAA, Chhattisgarh and ional Office, Ministry of Environment, est and Climate Change, Government of a, Nagpur. The funds earmarked for the	expenditure is attached as Annexure-III.

	Naya Raipur, Regional Office, Chhattisgarh	
	Environment Conservation Board, Bilaspur,	
	SEIAA, Chhattisgarh and Regional Office,	
	Ministry of Environment, Forest and Climate	
	Change, Government of India, Nagpur.	
28		Noted and agreed.
	does not convey any property rights in either	
	real or personal property, or any exclusive	
	privileges, nor does not authorize any injury to	and the second of the second of the second second second
2555744	private property or any invasion of personal	
	rights, nor any infringement of Central, State or	
	Local laws or regulations.	
29	SEIAA, Chhattisgarh reserves the right to	Noted and agreed.
	revoke the clearance if conditions stipulated are	
	not implemented to the satisfaction. SEIAA,	
	Chhattisgarh reserves the right to amend / cancel	
	any of the conditions and add new conditions	
	and make further stringent the emission /	
	effluent limit as and when deemed necessary in	
	the interest of environmental protection, change	
	in the project profile or non-satisfactory	
	implementation of the stipulated conditions etc.	
30	Local persons shall be given employment during	Agreed and being implemented.
	construction (if any) and operation of the plant.	
31	The Project authority shall advertise in at least	Complied.
51	two local newspapers widely circulated in the	compared
	region around the project, one of which shall be	
	in the vernacular language of the locality	
	concerned within seven days from the date of	
	this clearance letter, informing that the project	
	has been accorded environmental clearance and	
	copies of clearance letter are available with the	
	-	
	Chhattisgarh Environment Conservation Board	
	and may also seen at Website of the Ministry of	
	Environment, Forest and Climate Change at	
	www.envfor.nic.in and website of SEIAA,	
	Chhattisgarh at www.seiaacg.org.	at the point internation
32	Half yearly report on the status of	Six monthly EC compliance status report is
	implementation of the stipulated conditions and	being submitted regularly to RO, CECB,
	environment safeguards shall be submitted to	Raipur, SEIAA, RO-Ministry of Environment
	the Chhattisgarh Environment Conservation	Forest and Climate change, Government of India, Nagpur.
	Board, Raipur, Regional Office, Chhattisgarh	

R. Land

RAIPUR VI. L. Hari Po

	Environment Conservation Board, Raipur, SEIAA, Chhattisgarh and Regional Office, Ministry of Environment, Forest and Climate Change, Government of India, Nagpur.	
33	Regional Office of the Ministry of Environment, Forest and Climate Change at Nagpur shall monitor the implementation of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report and Environment Management Plan along with the additional information submitted from time to time shall be forwarded to the Regional Office for their use during monitoring.	Noted and agreed.
34	The project authorities shall inform the Regional Office as well as the SEIAA, Chhattisgarh regarding the date of start of commissioning of plant with expanded capacity.	Complied.
35	Full cooperation shall be extended to the Scientists / Officers from the SEIAA, Chhattisgarh, Ministry of Environment, Forest and Climate Change, Government of India / Regional Office, Ministry of Environment, Forest and Climate Change, Government of India, Bhopal / the CPCB / the Chhattisgarh Environment Conservation Board, who would be monitoring the compliance of environment status.	Noted and agreed.
36	Concealing factual data or submission of false / fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.	Noted
37	In case of any deviation or alteration in the expansion project from those submitted to this SEIAA, Chhattisgarh for clearance, a fresh reference should be made to the SEIAA, Chhattisgarh to assess the adequacy of the condition(s) imposed and to add additional environment protection measures required, if any. No further expansion or modifications in the plant should be carried out without prior	Noted and agreed.



	approval of the Ministry of Environment, Forest and Climate Change, Government of India / SEIAA, Chhattisgarh.	
38	The project authorities must strictly adhere to the stipulations made by the Chhattisgarh Environment Conservation Board (CECB) and the State Government.	Noted and agreed.
39	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) act, 1986 and rules there under, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and its amendments, the Public Liability Insurance Act, 1991 and its amendments.	Noted and agreed.
40	The above conditions would be enforced inter- alia, under the provisions of the water (Prevention & Control of Pollution) Act. 1974, the Air (Prevention & Control of Pollution) Act. 1981 the environment (Protection) Act. 1986 and the public liability insurance Act, 1991 along with their amendments and Rules. The proponent shall ensure to provide for the costs incurred for taking up remedial measures in case of soil contamination, contamination of groundwater and surface water, and occupational and other diseases due to the mining operations.	Noted and agreed.
41	Chhattisgarh Environment Conservation Board shall display a copy of the clearance letter at the Regional Office, District Trade and Industries Centre and Collector's Office / Tehsildar's Office for 30 days.	Noted.
42	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act, 2010.	Noted and agreed.



SUPPORTING OCUMENTS INCLUDE AS ANNEXURES


Annex use - I

		Au	udior	netric R	eport List			
S.No.	Emp. Id	Patient name	Age	Gender	Designation	Right Ear	Left Ear	Status
1	1105	Pradeep Verma	41	Male	ENGINEER	21.67	21.67	Normal
2	1567	Adam Das Sonwani	32	Male	FITTER	23.33	23.33	Normal
3	1536	Prem Babu Prajapati	36	Male	FITTER	23.33	23.33	Normal
4	1336	Mukesh Chandrakar	31	Male	FITTER	23.33	23.33	Normal
5	1569	Ram Ji Prasad	38	Male	ASSISTANT MANAGER	23.33	23.33	Normal
6	1451	Rajendra Prasad	54	Male	SUPERVISIOR	23.33	23.33	Normal
7	1588	Rakesh Kumar Sahu	37	Male	SHIFT INCHARGE	21.67	23.33	Normal
8	1300	Vinod Kumar Paatre	38	Male	ASSISTANT MANAGER	23.33	23.33	Normal
9	101007	Yogesh Thakur	50	Male	MANAGER	23.33	23.33	Normal
10	01254	Arun Chaudhri	22	Male	FITTER	18.33	18.33	Normal
11	1381	Mithun Kumar Chandra	30	Male	MECHANICAL FITTER	18.33	18.33	Normal
12	1301	Ravishankar Sahu	32	Male	WELDER	18.33	18.33	Normal
13	1450	Surendra Singh	46	Male	SHIFT INCHARGE	23.33	23.33	Normal
14	1445	Vinay Kumar Pandey	45	Male	FITTER	23.33	23.33	Normal
15	1343	Bhojram Sahu	38	Male	WELDER	23.33	23.33	Normal
16	1521	Anil Mehta	42	Male	FITTER	23.33	23.33	Normal
17	1524	Hemant Dahre	25	Male	GET	23.33	23.33	Normal
18	1561	Ankur dixit	26	Male	SR. ENGINEER	23.33	23.33	Normal
19	1472	Ankur sharma	22	Male	GET	23.33	23.33	Normal
20	1558	Swaran Singh	31	Male	SR. ENGINEER	23.33	23.33	Normal


DHANELI, RAIPUR, CG

Q 14 4

Patient Name : PRADEEP VERMA Age : 41 Gender : Male Referred By :



Reference Id : 1105 Session Date : 2024-04-05 Session Examiner : Test : PTA



PTA calculated on (500,1000,1500)

,FRFQ (Hz)	125	250	500	750	1K	1.5K	2К	36	48	CK	ŬK.
ACR	20	25	20	25	20	25	20	25	20	25	20
AC R(M)		-		-	1000	-					1.00
BC R								-			-
BC R(M)											3-
FFR					-		220			1.7	-
FF R(M)											

FREQ (112)	125	250	500	750	16	1.5K	2K	3K	44	0K	θK.
AC L	20	25	20	25	20	25	20	25	20	25	20
AC L(M)			-		-						
BCL		-				-		-			
BC L(M)			13.1				05				
EFL				-	Sec.						-
FF L(M)			1010		786.5	Alersa a					

Pnw


डॉ. एस.की.मागमवार एम.बी.बी.एस., डी.एल.जी. काल नाक एवं नला विशेषडा रायपुर (छ.न.) Reg. No. CG.-2042

A DIAGNOSTICS


DHANELI, RAIPUR, CG

Q 44

Patient Name : ADAM DAS SONWANI Age : 32 Gender : Male Referred By :



Reference Id : 1567 Session Date : 2024-04-05 Session Examiner : Test : PTA



PTA calculated on (500,1000,1500)

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	эк	ЧK	6K	84
ACR	25	20	25	20	25	20	25	20	25	20	25
AC R(M)	13									10.002	
BCR					-		-	-			-
BC R(M)											
FFR							100	-			+
FF R(M)					-						

FREQ (Hz)	125	250	500	750	1K	1.5K	2%	3K	4K	6K	8K
AC L	25	20	25	20	25	20	25	20	25	20	25
AC L(M)											-
BCL		1	-	-		1		-		-	
BC L(M)									6	-	
FFL			24.140	-	Testal	-		Crack Party	5	1	
FFL(M)	111	Parts in			1		100	1	-	-	

ari Pol

डॉ. एस.क) धागमवार एम.बी.गी.एस., डी.एल.ओ. काल नाक एवं गला विशेषज्ञ शयपुर (छ.ग.) Reg. No. CG.-2042


PRINT DATE : 2024-04-05 03:15 PM PAGE : 1/2

T^L JA DIAGNOSTICS


DHANELI, RAIPUR, CG



Patient Name : PREM BABU PRAJAPATI Age : 33 Gender : Male Referred By :



Reference Id : 1536 Session Date : 2024-04-05 Session Examiner : Test: PTA



PTA calculated on	500 1000 1500)	
PTA calculated on	300,1000,1300]	

ADDISCO CONTRACT	CLOSED IN	10000	and the second	district.	and the second	and the second	-	-	-	-	-
FREQ (Hz)	125	250	500	750	1K	1.5K	2K	ЗК	4K.	6K	8K
ACR	25	20	25	20	25	20	25	20	25	20	25
AC R(M)										-	
BCR											
BC R(M)									***		
FFR	-									1	-
FF R(M)	-	-	-		10.3			-			-

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	ЗК	4K	6K	8K
ACL	25	20	25	20	25	20	25	20	25	20	25
AC L(M)											
BÇL											-
BC L(M)			1					15.5			
FFL										-	1
FF L(M)	-		-	-	-		1				-

Prov

.

डॉ. एस.क. धागमवार एम.बी.बी.एस., डी.एल.ओ. कान नाक एवं गला विशेषझ रायपुर (छ.ग.) Reg. No. CG.-2042


PRINT DATE : 2024-04-05 03:17 PM

DHANELI, RAIPUR, CG




2.1

Patient Name : MUKESH CHANDRAKAR Age : 31 Gender : Male Referred By :



Reference Id : 1336 Session Date : 2024-04-05 Session Examiner : Test: PTA



PTA calculated on (500, 1000, 1500)

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K	FREQ (Hz)
ACR	25	20	25	20	25	20	25	20	25	20	25	ACL
AC R(M)								-				AC L(M)
BCR							1-04		- 16-		-	BCL
BC R(M)			10-17			-			-			Colling State
FFR								-			_	BCL(M)
FF R(M)								_				FFL
- comment												FF L(M)

डॉ. एस.के.धागमवार एम.बी.बी.एस., डी.एल.ओ. कान नाक एवं गला विशेषज्ञ रायपुर (छ.ग.) Reg. No. CG.-2042

125 250

25

20

Ori Pow

500

25

750

20

IK

25

1.5K

20


ZK 3K 44 GK sĸ

25 20 25 20 25

PRINT DATE : 2024-04-05 03:09 PM PAGE : 1/2

DHANELI, RAIPUR ,CG

Patient Name : RAM JI PRASAD Age : 38 Gender : Male Referred By :



PTA calculated on (500, 1000, 1500)

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	ЗК	4K	6K	8K
ACR	25	20	25	20	25	20	25	20	25	20	25
AC R(M)								100			
BC R											
CR(M)						-		-	-		_
FR					-		-				-
FR(M)									1		- 1

R. R. ISS PAIN

डॉ. एस. के धागमवार एम.बी बी.एस., डी.एल.ओ. कान नाक एवं गला विशेषझ रायपुर (छ.ग.) Reg. No. CG.-2042

125 250

25 20

500

25

750

20

1K

25

1.5K

20

2K 3K 4K 6K 8K

25 20 25 20 25


FREQ (Hz)

ACL

AC L(M) BC L BC L(M) FF L FF L(M)

PRINT DATE : 2024-04-05 02:49 PM PAGE : 1/2

Reference Id : 1569 Session Date : 2024-04-05 Session Examiner : Test : PTA





DHANELI, RAIPUR ,CG

Q 14 14

Reference Id : 1451


Session Examiner :

Test : PTA

Session Date : 2024-04-05

いたの日本語

Patient Name : RAJENDRA PRASAD TIWARI Age : 54 Gender : Male Referred By :




PAGE : 1/2


DHANELI, RAIPUR, CG



Patient Name : RAKESH KUMAR SAHU Age : 37 Gender : Male Referred By :



Reference Id : 1588 Session Date : 2024-04-05 Session Examiner : Test: PTA



PTA calculated on (500, 1000, 1500)

FREQ (Hz)	125	250	500	750	11	1 5K	2K.	ЭК.	46	6K	23	FREQ (Itz)	125	250
ACR	20	25	20	25	20	25	20	25	20	25	20	ACL	25	20
AC R(M)						1						AC L(M)		
BCR											-	BCL		
BC R(M)												BC L(M)		- AL
FFR					1.1							FEL		
EF R(M)												FF L(M)		

23.33

धागमवार डॉ. एस. झि एम.यी बी.एस., डी.एल.ओ.

500

25

750

20

1K

25

1.5k

20

28 38

25 20 25 25 20

εK bK.


कान नाक एव गला पिरोगजी रायपुर (छ.ग.) Reg. No. CG.-2042

PRINT DATE : 2024-04-05 02:44 PM PAGE : 1/2


DHANELI, RAIPUR, CG

•

Patient Name : VINOD KUMAR PAATRE Age : 38 Gender : Male Referred By :



Reference Id : 1300 Session Date : 2024-04-05 Session Examiner : Test : PTA 二 二 二 二 二 二 二



PTA calculated on (500,1000,1500)

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
ACR	25	20	25	20	25	20	25	20	25	20	25
AC R(M)		102									
BC R	1										-
BC R(M)					-				-		-
FFR							-				
FF R(M)							_			-	

FREQ (Hz)	125	250	500	750	1K	1.5K	2К	3K	4K	6K	BK
ACL	25	20	25	20	25	20	25	20	25	20	25
AC L(M)		100					- Saulto				
BCL						5			-		-
BC L(M)											
FF L		1000	-	1	1000	Collins of	all	in the second	in the	1	
FF L(M)											

डॉ. एस. िधागमवार एम.बी.थी.एस., डी.एल.ओ. फान नाक एवं गला विशेषज्ञ रायपुर (छ.ग.) Reg. No. CG.-2042


an Powel

PRINT DATE : 2024-04-05 02:37 PM PAGE : 1/2

DHANELI, RAIPUR ,CG

Q 14 M

Patient Name : YOGESH THAKUR Age : 50 Gender : Male Referred By :



PTA calculated on (500,1000,1500)

23.33

AC

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	ЗК	4K	6K	88
ACR	25	20	25	20	25	20	25	20	25	20	25
AC R(M)											
BCR											
BC R(M)											-
FR				1	-						-
FR(M)		24									


FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	84
ACL	25	20	25	20	25	20	25	20	25	20	25
AC L(M)					-						
BCL							-				-
BC L(M)								-	-		
FF L											-
FF L(M)		1					1000			-	

an Pow

23.33

डॉ. एस. की धागमवार एम.बी.बी.एस., डी.एल.ओ. कान नाक एवं गला विशेषज्ञ सायपुर (छ.ग.) Rog. NU. CG -2042

Reference Id : 101007 Session Date : 2024-04-05 Session Examiner : Test : PTA




PRINT DATE : 2024-04-05 01:36 PM PAGE : 1/2


DHANELI, RAIPUR, CG



Patient Name : ARUN CHAUDHARI Age : 22 Gender : Male Referred By :



Reference Id : 01254 Session Date : 2024-04-05 Session Examiner : Test : PTA



PTA calculated on (500,1000,1500)

18.33

AC

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	ЗК	4K	6K	BK
ACR	20	15	20	15	20	15	20	15	20	15	20
AC R(M)	1					1	-	-			-
BCR						-		-			-
BC R(M)	90 24							-			-
FF R			-		1			-			-
FF R(M)	1										

18.33

FREQ (Hz)	125	250	500	750	IK	1.5K	2K	3K	4K	6K -	8K
AC L	20	15	20	15	20	15	20	15	20	15	20
AC L(M)	1		1	1		1			-	-	
BC L		-	1						-		
BC L(M)				-					-		
TL	200			-				1	1	57	1.00
FF L(M)			-				-	-	1		

डॉ. एस. क्रीधागमवार एम.बी.बी.एस., डी.एल.ओ. कान नाक एवं गला विशेषज्ञ रायपुर (छ.ग.) Er & Istol Reg. No. CG.-2042


PRINT DATE : 2024-04-05 11:42 AM PAGE : 1/2

DHANELI, RAIPUR, CG

Patient Name : MITHUN KUMAR CHANDRA Age : 30

Gender : Male

Referred By :



FREQ (Hz)	125	250	500	750	1K	1.5K	2K	ЭК.	4K	6K	8K	FREQ (Hz)	125	250	500	750	1K	1.5K	2K.	ЗК	4K	6K	-8K
AC R	20	15	20	15	20	15	20	15	20	15	20	ACL	20	15	20	15	20	15	20	15	20	15	20
AC R(M)					11-1							AC L(M)		-		- 11	-	-					
BC R											1	BC L	1										
BC R(M)												BC L(M)		12.19			1			1			
FFR						-						FFL			72								-
FF R(M)												FF L(M)		-						-			

Reference Id: 1381

Session Date : 2024-04-05 Session Examiner : Test : PTA

Q 44


शागमवार डॉ. एस.के. एम.बी.बी.एश., डी एल.ओ. कान नाक एवं गला विशेवझ रायपुर (छ.ग.) Power Reg. No. CG.-2042

PRINT DATE : 2024-04-05 11:33 AM PAGE : 1/2


DHANELI, RAIPUR ,CG

Q 4

Patient Name : RAVISHANKAR SAHU Age : 32 Gender : Male Referred By :



Reference Id : 1301 Session Date : 2024-04-05 Session Examiner : Test : PTA



PTA calculated on (500,1000,1500)

18.33

AC

FREQ (Hz)	125	250	500	750	1K	1.5K	2%	ЗК	4K	GK	- 88
ACR	20	15	20	15	20	15	20	15	20	15	20
AC R(M)			5							-	
BC R											-
BC R(M)			1.5								1
rra		-		-			Signal .	-		1	
FFR(M)								-			

125	250	500	750	١К	1.5K	2K	ЗК	4K	6K	SK
20	15	20	15	20	15	20	15	20	15	ZC
				-	130					
	14		Ser.	-						
		120			1923		1			-
1000	-	00.56	1000		13.9	19 Mer	1	0.5%	-Len	10
				2.7					1	
	1021			and the second se						

and the state of the

Her & Is

18.33

डॉ. एस.क) धागमवार एम.बी.बी.एस., डी.एल.जो. कान नाक एवं नला विशेषझ रायपुर (छ.ग.) Reg. No. CG.-2042


No. 2 - John Take

PRINT DATE : 2024-04-05 10:54 AM

DHANELI, RAIPUR, CG

Q (n n)

Patient Name : SURENDRA SINGH Age : 46 Gender : Male Referred By :



PTA	RIGHT	LEFI
AC	23.33	23.33
PTA calculated	i on (500,1000,1500)	


FREQ (Hz)	125	250	500	750	1K	1.5K	2K	ЗК	4K	6K	86
ACR	25	20	25	20	25	20	25	20	25	20	25
AC R(M)						112					
BCR											
BC R(M)						1		1			
FFR				-		- orange	1	1			
FF R(M)		1		1		1	1	1			1

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	ЗК	4K	6K	8K
ACL	25	20	25	20	25	20	25	20	25	20	25
AC L(M)		139		-							
BC L											
BC L(M)		1					1				
FF L				1200				1000			-
FF L(M)		1	1		1997	1973					

Wari Pol

डॉ. एस.क. धार्यामवार एम.वी.वी.एस., डी.एल.ओ. कान नाक एवं गला विशेषज्ञ रायपुर (छ.ग.) Reg. No. CG.-2042

Reference Id : 1450 Session Date : 2024-04-05 Session Examiner : Test : PTA




DHANELI, RAIPUR ,CG




Patient Name : VINAY KUMAR PANDEY Age : 35 Gender : Male

Referred By :



Reference Id : 1445 Session Date : 2024-04-05 Session Examiner : Test : PTA



	and the second second		Contraction of the second s	
PTA	calculated	on (500,1000,1500)	

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	ЗК	4K	6K	8K
ACR	25	20	25	20	25	20	25	20	25	20	25
AC R(M)											-
BC R											
CR(M)	1				2						
FR					100	a a fi	-	3			2
FE RIMI				1.	1000	1.00		1			

FREQ (Hz)	125	250	500	750	1K	1.5K	ZK	3K	4K	6K	BK
ACL	25	20	25	20	25	20	25	20	25	20	25
AC L(M)								1.1.			
BCL								1 des			-
BC L(M)		12.0	1	11.		1		-			
FF L	1 and 1 and	a in a	-				No.		Sec. 1	1510	-
FF L(M)		1	1			123	1918	1		1	di.


Provel

डॉ. एस के मागमवार एम.वी.वी.एस., डी.एल.ओ. कान नाक एवं गला विशेषझ रावपुर (छ.ग.) Reg. No. CG.-2042

PRINT DATE : 2024-04-05 04:11 PM PAGE : 1/2

DHANELI, RAIPUR ,CG

Patient Name : BHOJRAM SAHU Age : 38 Gender : Male Referred By :




AC 23.33 23.33 PTA calculated on (500,1000,1500)

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	ЗК	4K	6K	- 8K
ACR	25	20	25	20	25	20	25	20	25	20	25
AC R(M)										1	
BCR											
BC R(M)								1			
FFR		-		20.00		-		-	-	1	
FF R(M)						1	1	1			



Reference Id : 1343 Session Date : 2024-04-05 Session Examiner : Test : PTA



Contractor and	10.00	17.3	-	-	in the second	in the second	-		-	in the second	in the
FREQ (Hz)	125	250	500	750	1K	1.5K	2K	ЗК	4K	6K	86
ACL	25	20	25	20	25	20	25	20	25	20	25
AC L(M)				16							
BC L		1.5						1			
BC L(M)					1		lan-			1	
FFL	AL.	1000	-			1		1		1000	17
FF L(M)		1			12.5		1	100	1		1


धागमवार एम.वी.वी.एस., डी.एल.ओ. कान नाक एवं गला विशेषज्ञ डॉ. एस. रायपुर (छ.ग.) Reg. No. CG.-2042

PRINT DATE : 2024-04-05 03:30 PM PAGE : 1/2


@ 4 at

DHAMELI, RAIPUR, CG

Patient Name : ANIL MEHTA Age: 42 Gender : Male -Referred By :



Reference Id: 1521 Session Date : 2024-04-05 Session Examiner : Test: PTA



PTA calculated on (500,1000,1500)

FREQ (Hz)	125	250	500	750	IX	1.5K	2K	3K	4K	6K	SK
ACR	25	20	25	20	25	20	25	20	25	20	25
AC R(M)								-			•
BC R				1170							
BC R(M)											-
rrn	2.4	1111		. 0	100		11/1/2	1			
FF R(M)								1		-	-

23.33


FREQ (Hz)	125	250	500	750	1K	1.5K	2K.	3K	4K.	6K	8K
ACL	25	20	25	20	25	20	25	20	25	20	25
CL(M)					1		-				
BC L					1.50		6				
BCL(M)						1.6					
+L		1.15	Show	CONCE N	201	1411	Super-	1.00			1
FF L(M)			12.55	1 220			1				1.4

डॉ. एस.ची. धागमवार एम.वी.बी.एस., डी.एल.ओ. कान नाक एवं गला विशेषज्ञ रायपुर (छ.ग.) Reg. No. CG.-2042

J.JA DIAGNOSTICS

DHANELI, RAIPUR, CG

Patient Name : HEMANT DAHRE Age : 25 Gender : Male Referred By :



PTA calculated on (500,1000,1500)

FF R(M)											
רת		0.01				10-16			10.1		
BC R(M)	1000										
BCR									-		
AC R(M)	Contra Co		-	-							
AC R	25	20	25	20	25	20	25	20	25	20	25
FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K

A CONTRACTOR OF STATE	See 11	11.11	1.1.1		Sec. 1	history	side.				210
FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
ACL	25	20	25	20	25	20	25	20	25	20	25
AC L(M)					1						
BCL			1				1			-	-
BC L(M)											
PPL	Convert and	1.60-0	Station (31)	PRINT ALS	Sing	1000	a president	1000	in the	1444	1
FF L(M)											

Wari Pow

LEFT

Reference Id: 1524


Session Examiner :

Test : PTA

^-10

믵

Session Date : 2024-04-05



PRINT DATE : 2024-04-05 03:38 PM PAGE : 1/2


भागमवार डॉ. एस.स. एम.बी.बी.एस., डी.एल.ओ. कान नाक एवं गला विशेषज रायपुर (छ.ग.) Reg. No. CG.-2042

1 4m

TULJ., JIAGNOSTICS

DHANELI, RAIPUR, CG

Patient Name : ANKUR DIXIT Age : 26 Gender : Male Referred By :




PTA calculated on (500,1000,1500)

FREQ (Hz)	125	250	500	750	1K	1.5K	2К	ЗК	4K	6K	8K
ACR	25	20	25	20	25	20	25	20	25	20	25
AC R(M)											1
BCR	100			1				-	-		1
BC R(M)											-
FFR								-	110	100	-
FF R(M)					-			-	1		-



,

Reference Id : 1561 Session Date : 2024-04-05 Session Examiner : Test : PTA



FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3К	4K	65	8K
ACL	25	20	25	20	25	20	25	20	25	20	25
AC L(M)									-		
BCL						1					
BC L(M)						1.12	1				
FFL				-		1		-			
FF L(M)	1					1	1	1			1


डॉ. एस.क. धागमवार एम.बी.बी.एस., डी.एल.ओ. कान नाक एवं गला विशेषज्ञ रावपुर (छ.ग.) Reg. No. CG.-2042



DIAGNOSTICS

ANELI, RAIPUR ,CG

Patient Name : ANKUR SHARMA Age : 22 Gender : Male Referred By :




PTA calculated on (500,1000,1500)

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	3K	4K	6K	8K
ACR	25	20	25	20	25	20	25	20	25	20	25
AC R(M)							-				
BC R					-				-		-
BC R(M)											-
F.P				-			-	1111	-	and the state	-
FF R(M)					-				-	_	-



Reference Id : 1472 Session Date : 2024-04-05 Session Examiner : Test : PTA

2 2 2



FREQ (Hz)	125	250	500	750	1K	1.5K	2K	ЗК	4K	6K	8K
ACL	25	20	25	20	25	20	25	20	25	20	25
AC L(M)			-								
BCL						1.5		100			-
		121014				1			38.0		
FFL	and the second second	-	Kingel	SHIER		Pin a	-	-	and and	34	
FF L(M)			-	-		1	1000				


धागमवार एम.बी.बी.एस., डी.एल.ओ. डॉ. एस. कान नाक एवं गला विशेषज्ञ रायपुर (छ.ग.) Reg. No. CG.-2042

PRINT DATE : 2024-04-05 03:35 PM PAGE : 1/2




DHANELI, RAIPUR ,CG

Patient Name : SWARAN SINGH Age : 31 Gender : Male Referred By :



Reference Id : 1558 Session Date : 2024-04-05 Session Examiner : Test : PTA



PTA calculated on (500,1000,1500)

FREQ (Hz)	125	250	500	750	1K	1.5K	2K	ЗК	4K	GK	- 8K
ACR	25	20	25	20	25	20	25	20	25	20	25
AC R(M)		-				2					
BC R			1								-
BC R(M)											
rrR		-							-		-
EF R(M)				1		1.18		Real Providence			-



BCL (M) FFL FFL(M)

500

25

1K

25

750

20

1.5K

20

2K

25 20 25 20 25

3K 4K

5K 8K

एष.बी.बी.एस., डी.एल.जो. फान नाक एवं गला विशेषझ रायपुर (छ.ग.) Reg. No. CG.-2042

FREQ (Hz)

ACL

AC L(M)

125

25 20

250

PRINT DATE : 2024-04-05 03:58 PM PAGE : 1/2

Q 4 4

Annexure - II

R. 1.5

RAIP

WATER HARVESTING



RAIN WATER HARVESTING FOR SHED AND SOAK PIT FOR RECHARGE WELL







Unit of FAU









PIEZOMETER





Bore with Digital Water Meter at Car Parking Area Near Admin. Building

Digital Water Meter in Borewell at gate No. 3



Annexune - III

CSR Expenses of R.R.Ispat for FY: 2024-25

Amount spent: Direct or Direct through R.R. Direct through R.R. Direct through R.R. Direct through R.R. 47.05 Direct through R.R. Direct through R.R. Expenditure upto the through implementing Direct through R.R. (8) agency Ispat Ispat Ispat Ispat Ispat Ispat Ispat 57.48 9.86 3.83 80.94 7.22 4.27 210.64 reporting Period. Cumulative Ē 47.05 9.86 57.48 210.64 80.94 7.22 3.83 on projects or programs. (2)Overheads: (In lac.) 4.27 (1) Direct expenditure Amount outlay Amount spent on the projects or programs (9) Sub-heads: 50.00 80.00 7.00 10.00 5.00 5.00 50.00 207.00 programs wise project or (budget) (2) (In Lac.) programs was undertaken. district where projects or (2) Specify the State and (1) Local area or other **Projects or Programs** Total (In Lac) £ Ambleshwar Raipur City Raipur City Raipur City Raipur City Raipur City Raipur City Environment Conservation Environment Conservation Environment Conservation Infrastructural Development & Environment Conservation Environment Conservation Environment Conservation Environment Conservation Sector in which the Project is Development, Sports, Health Conservation, Infrastructure Support, Environment, any Environment, Educational covered. (Environment Care, Drinking Water, 3 other) Telibandha Chowk (Manpower, Land Escaping, Expenses on Plantation in Premises of Udyog Bhavan, Raipur Maintenance expenses on Plantation at RKC Expenses on maintenance of ATAL EXPRESSWAY (Shankar Nagar, Devendra Expenses on maintenance of Plantation at Industrial Area Siltara Chowk Expenses on Plantation in Ambleshwar Maintenance of Garden & Fountain in Expenses on Plantation in Urla area CSR project or activity identified. (2) Plantation Etc.) Nagar, Pandri) Compound S.No. E -3 4 5 9 2 N

